## Milex®

# Pessary Reference Guide

Pessaries for Incontinence and Pelvic Organ Prolapse









Effective, first-line therapy for prolapse and incontinence<sup>1</sup>

Noninvasive Milex pessaries help manage gynecologic issues including pelvic support defects, stress urinary incontinence and urinary retention.<sup>2</sup>

As a nonsurgical tool for treating mild to severe pelvic organ prolapse, Milex pessaries are an effective option.<sup>3</sup> They help to reposition pelvic organs and offer a first-line therapy for women with prolapse and/or incontinence that can affect their quality of life.<sup>4</sup> Available in a range of sizes and shapes, Milex pessaries can be fitted in the convenience of your office and are easily managed by patients.<sup>3,5</sup>

Pessaries may be used in the assessment of prolapse reduction of patient symptoms and assist in determining appropriate surgical options.<sup>4</sup>



<sup>2.</sup> Pessaries for POP and SUI: Your options and guidance on use OBG Management | December 2020 | Vol. 32 No. 12 Henry M. Lerner, MD

<sup>3.</sup> Pessaries for POP and SUI: Their fitting, care, and effectiveness in various disorders OBG Manag. 2021 January; 33(1):20-27, 51 | doi: 10.12788/obgm.0057 By Henry M. Lerner, MD

<sup>4.</sup> Vaginal Pessaries, Teresa Tam and Matthew F. Davies, pgs 53-54

<sup>5.</sup> Please refer to the Milex Pessary Selection chart and each device instructions for use.

# Pessary Fitting Process

Proper fitting of the pessary may require the patient to try several pessary shapes and sizes.<sup>6</sup> Start with a pessary shape and size based on your findings from a complete pelvic examination.<sup>3</sup>

Once the correct shape is determined and the pessary is inserted, check to make sure your finger can pass easily between the pessary and the vaginal wall.<sup>3</sup> Ask the patient to perform a series of tests such as squat, sit or stand without delivery of the pessary.<sup>7</sup>

Also check the pessary to be sure the intended function is met.<sup>7</sup> For example, when the indication for the pessary is stress urinary incontinence, ask the patient to cough with the pessary out and again with it in, to test for urine leakage.<sup>8</sup>



Scan QR Code for insertion and removal videos

- 6. Vaginal Pessaries, Teresa Tam and Matthew F. Davies, pg 18
- 7. Vaginal Pessaries, Teresa Tam and Matthew F. Davies, pg 36
- 8. Vaginal Pessaries, Teresa Tam and Matthew F. Davies, pgs 25-26
- 9. Vaginal Pessaries, Teresa Tam and Matthew F. Davies, pg 17
- 10. Vaginal Pessaries, Teresa Tam and Matthew F. Davies, pg 16
- 11. Based on internal sales data

# **FAQs**

#### How do I know which pessary to choose for my patient?

- **a.** The patient's pelvic exam, vaginal depth and caliber will help you assess the appropriate type and size of pessary needed. Pessaries for pelvic organ prolapse generally have two categories: the support pessaries and the space-occupying pessaries. The most common support pessary is the Ring pessary. The most common space-occupying pessary is the Gellhorn.
- **b.** Patient lifestyle may also guide your selection of pessary type. Patients who are active and interested in self-care are better suited with a pessary that is easy to remove, clean, and reinsert. Patients who have physical limitations may be better suited to a pessary that is difficult to remove but renders less chance of spontaneous expulsion.

#### How do I size my patient for a pessary?

Pessary fitting is primarily a trial-and-error process.<sup>6</sup> A properly fitted pessary should not be felt by the patient while in place.<sup>6</sup>

#### What if the pessary I have chosen doesn't fit or help with the issue?

If the pessary chosen does not fit or resolve the patient's issue, then try another size or shape. It is important to diagnose the patient's main complaint.<sup>6</sup> Different types of pessaries have different indications with each style of pessary designed to serve specific functions and patient needs.<sup>5</sup> This allows the treatment for multiple pelvic floor disorders concomitantly as women have variations in pelvic floor anatomy.<sup>1</sup> For example, if a patient with stress urinary incontinence also has stage I anterior vaginal wall prolapse, an Incontinence Dish with Support may be more appropriate.


#### What are the differences between one pessary vs. another?

There are different pessary sizes, shapes, and indications for use. Also, there are different insertion processes with different types of pessaries. Care should be individualized to the patient.<sup>5</sup>

## Milex®

## Brand Pessary Product Offerings





### **Support Pessaries**

#### Ring

For mild prolapse.

Product # MXPER (Pessary Only) Product # MXKPER (Pessary, Trimo-San, Jel Jector)





Scan to see product insertion

PRODUCT #	IN.	MM
MXPER00	1¾	44
MXPER01	2	51
MXPER02	21/4	57
MXPER03	2½	64
MXPER04	2¾	70
MXPER05	3	76
MXPER06	31/4	83
MXPER07	3½	89
MXPER08	3¾	95
MXPER09	4	102
MXPER10	41/4	108
MXPER11	4½	114
MXPER12	4¾	121
MXPER13	5	127

### Incontinence Ring

Product # MXPCON (Pessary Only)
Product # MXKPCON
(Pessary, Trimo-San, Jel Jector)

For stress urinary incontinence.

PRODUCT #	IN.	MM
MXPCON00	1 3/4	44
MXPCON01	2	51
MXPCON02	21/4	57
MXPCON03	2½	64

#### **Ring with Knob**

For mild prolapse complicated by stress urinary incontinence.

Product # MXPERK (Pessary Only)
Product # MXKPERK

(Pessary, Trimo-San, Jel Jector)





Scan to see product insertion and removal

PRODUCT #	IN.	MM
MXPERK00	1¾	44
MXPERK01	2	51
MXPERK02	21/4	57
MXPERK03	2½	64
MXPERK04	2¾	70
MXPERK05	3	76
MXPERK06	31/4	83
MXPERK07	3½	89
MXPERK08	3¾	95
MXPERK09	4	102
MXPERK10	41/4	108
MXPERK11	4½	114
MXPERK12	4¾	121
MXPERK13	5	127

#### Ring with Support & Knob

For mild prolapse complicated by a mild cystocele and stress urinary incontinence.

Product # MXPRSK (Pessary Only)
Product # MXKPRSK

PRODUCT #	IN.	MM
MXPRSK00	1 3/4	44
MXPRSK01	2	51
MXPRSK02	21/4	57
MXPRSK03	2½	64

#### **Ring with Support**

For mild prolapse complicated by a mild cystocele.

Product # MXPRS (Pessary Only) Product # MXKPRS (Pessary, Trimo-San, Jel Jector)





Scan to see product insertic

PRODUCT #	IIV.	IVIIVI
MXPRS00	1 3/4	44
MXPRS01	2	51
MXPRS02	21/4	57
MXPRS03	2½	64
MXPRS04	2¾	70
MXPRS05	3	76
MXPRS06	31/4	83
MXPRS07	3½	89
MXPRS08	3¾	95
MXPRS09	4	102
MXPRS10	41/4	108
MXPRS11	4½	114
MXPRS12	4¾	121
MXPRS13	5	127

#### Shaatz

For mild prolapse complicated by a mild cystocele.

Product # MXPSH (Pessary Only) Product # MXKPSH (Pessary, Trimo-San, Jel Jector)

PRODUCT #	IN.	MM
MXPSH-1 1/2	1½	38
MXPSH-1 3/4	1 ¾	44
MXPSH-2	2	51
MXPSH-2 1/4	21/4	57



product insertion

and removal

31/4 MXPCON06 83 MXPCON07 31/2 89 33/4 95 MXPCON08 MXPCON09 102 MXPCON10 41/4 108 MXPCON11 4½ 114 121 MXPCON12 43/4 127 MXPCON13

23/4

70

76

MXPCON04

MXPCON05



and removal

44

48

49

51

54

57

60

64

67

70

MXPRSK04	2¾	70
MXPRSK05	3	76
MXPRSK06	31/4	83
MXPRSK07	3½	89
MXPRSK08	3¾	95
MXPRSK09	4	102
MXPRSK10	41/4	108
MXPRSK11	4½	114
MXPRSK12	4 3/4	121
MXPRSK13	5	127



Scan to see

and removal

product insertion

WIXI 311-2 1/2	2/2	04
MXPSH-2 3/4	2¾	70
MXPSH-3	3	76
MXPSH-3 1/4	31/4	83
MXPSH-3 1/2	3½	89
MXPSH-3 3/4	3¾	95

MXPSH-2 1/2 21/2 64


#### Hodge

For stress urinary incontinence for a woman who has a very small vaginal introitus.

Product # MXPEH (Pessary Only) Product # MXKPEH (Pessary, Trimo-San, Jel Jector)



Scan to see product insertion and removal





For stress urinary incontinence with mild prolapse. Product # MXPCOND

(Pessary Only) Product # MXKPCOND (Pessary, Trimo-San, Jel Jector)



#### Incontinence Dish with Support

For stress urinary incontinence with mild prolapse and a mild cystocele. Product # MXPCONDS (Pessary Only) Product # MXKCONDS (Pessary, Trimo-San, Jel Jector)



Dish	Dish w/ Support		
PRODUCT #	PRODUCT #	IN.	MM
MXPCOND00	MXPCONDS00	21/8	55
MXPCOND01	MXPCONDS01	23/8	60
MXPCOND02	MXPCONDS02	2½	65
MXPCOND03	MXPCONDS03	2 3/4	70
MXPCOND04	MXPCONDS04	3	75
MXPCOND05	MXPCONDS05	31/8	80
MXPCOND06	MXPCONDS06	33/8	85



Scan to see product insertion and removal

#### Gehrung/Folding

Support for cystocele and rectocele. It is also more adaptable in cases of procidentia where the uterus tends to herniate when other pessaries are used.

Product # MXPGS (Pessary Only) Product # MXKPGS (Pessary, Trimo-San, Jel Jector)

#### Gehrung with **Knob/Folding**

For cystocele with or without mild rectocele complicated by stress urinary incontinence.

Product # MXPGSK (Pessary Only) Product # MXKPGSK (Pessary, Trimo-San, Jel Jector)

Gehrung Folding	Gehrung w/ Knob/Folding						
PRODUCT #	PRODUCT #	IN. (A)	MM (A)	IN. (B)	MM (B)	IN. (C)	MM (C)
MXPGS00	MXPGSK00	11/16	27	1½	38	13/8	35
MXPGS01	MXPGSK01	1 1/8	29	1 3/4	44	1½	38
MXPGS02	MXPGSK02	13/8	35	2	51	15/8	41

Gehrung Folding	Gehrung w/ Knob/Folding						
PRODUCT #	PRODUCT #	IN. (A)	MM (A)	IN. (B)	MM (B)	IN. (C)	MM (C)
MXPGS06	MXPGSK06	1 <sup>7</sup> / <sub>8</sub>	48	2½	64	21/8	54
MXPGS07	MXPGSK07	2	51	27/8	73	21/4	57
MXPGS08	MXPGSK08	21/8	54	3	76	23/8	60





MXPGS03	MXPGSK03	1½	38	21/8	54	1 3/4	44
MXPGS04	MXPGSK04	15/8	41	21/4	57	1 <sup>7</sup> / <sub>8</sub>	48
MXPGS05	MXPGSK05	1 3/4	44	23/8	60	2	51

44	MXPGS09	MXPGSK09	2.
4.0			




PRODUCT #	IN.	MM
MXPD000	2	51
MXPD001	21/4	57
MXPD002	2½	64
MXPD003	23/4	70
MVDDOOA		7.0

3<sup>1</sup>/<sub>8</sub> 79

57

21/2

Scan to see product insertion





MXPD007

Scan to see product insertion and removal

95

33/4

## **Space Occupying Pessaries**

PRODUCT #

**MXPINFS** 

**MXPINFM** 

MXPINFL

**MXPINFXL** 

IN.

21/4

21/2

23/4

MM

51

57

64

70

#### Cube

Support for 3rd degree prolapse/ procidentia. Should be removed nightly. Cube

PRODUCT #

MXPEC00

MXPEC01

MXPEC02

MXPEC03

MXPEC04

MXPEC05

MXPEC06

MXPEC07

Product # MXPEC (Pessary Only) Product # MXKPEC (Pessary, Trimo-San, Jel Jector)

Also available in: Cube with Drainage Holes

Product # MXPECH (Pessary Only) Product # MXKPECH

(Pessary, Trimo-San, Jel Jector)



w/ Holes

PRODUCT #

**MXPECHOO** 

MXPECH01

MXPECH02

MXPECH03

MXPECH04

MXPECH05

MXPECH06

MXPECH07

Scan to see product insertion and removal

11/2 38

1 3/4

21/4

IN. MM

25

30

35

41

44

57





#### Inflatoball™

Inflatable for 3rd degree prolapse/ procidentia with or without a mild cystocele and/or rectocele.

Product # MXPINF (Pessary Only)

Product # MXKPINF (Pessary, Trimo-San, Jel Jector)



Scan to see product insertion and removal

#### Donut

Support for 3rd degree prolapse/procidentia. Not to be deflated during insertion or removal. See Inflatoball if a deflatable pessary is necessary.

Product # MXPDO (Pessary Only) Product # MXKPDO

(Pessary, Trimo-San, Jel Jector)



## Pessary Selection Chart\*

Product		Pessary Type	Procidentia									6
			Prolapse			Stress	Incompetent	Most Common	Material	Compatible with		
ı	code		Stage I & II	Stage III & IV	Vaginal Wall	Cystocele	Rectocele	Incontinence	Cervix	Sizes		Sexual Activity

**Support Pessaries** 

**MXPER** 







21/2 - 33/4"

Silicone & Metal\*\*



For 3rd degree prolapse/procidentia.

Product # MXPGE (Pessary Only) Product # MXKPGE (Pessary, Trimo-San, Jel Jector)

Also available in: Short Stem Product # MXPGSS (Pessary Only) Product # MXKPGSS

(Pessary, Trimo-San, Jel Jector)





Scan to see product insertion and removal

Flexible	Short Stem		
PRODUCT #	PRODUCT #	IN.	MM
MXPGE-1 1/2	MXPGSS-1 1/2	1½	38
MXPGE-1 3/4	MXPGSS-1 3/4	1 3/4	44
MXPGE-2	MXPGSS-2	2	51
MXPGE-2 1/4	MXPGSS-2 1/4	21/4	57
MXPGE-2 1/2	MXPGSS-2 1/2	2½	64
MXPGE-2 3/4	MXPGSS-2 3/4	2¾	70
MXPGE-3	MXPGSS-3	3	76
MXPGE-3 1/4	MXPGSS-3 1/4	31/4	83
MXPGE-3 1/2	MXPGSS-3 1/2	3½	89
MXPGE-3 3/4	MXPGSS-3 3/4	3¾	95

Note: Shaded areas show the minimum assortment neccessary to fit approximately 85% of patients.



MXPERK	Ring with knob	•					•		21/4 - 31/2"	Silicone & Metal**	•
MXPRS	Ring with support	•			•				2½ - 3¾"	Silicone & Metal**	•
MXPRSK	Ring with support and knob	•			•		•		21/4 - 31/2"	Silicone & Metal**	•
MXPCON	Incontinence Ring						•		21/4 - 31/2"	Silicone & Metal**	•
MXPSH	Shaatz	•			•				2¼ - 3"	Silicone	•
МХРЕН	€ Hodge						•	•	3½ - 4½" x 2¼ - 25%"	Silicone & Metal**	•
MXPCOND	Incontinence Dish	•					•		2½ - 3 1/8"	Silicone	•
MXPCONDS	Incontinence Dish with support	•			•		•		2½ - 3 1/8"	Silicone	•
MXPGS	Gehrung	•	•		•	•			1 <sup>3</sup> / <sub>8</sub> - 1 <sup>3</sup> / <sub>4</sub> " x 2 - 2 <sup>3</sup> / <sub>6</sub> "	Silicone & Metal**	•
MXPGSK	Gehrung with knob	•	•		•	•	•		1 <sup>3</sup> / <sub>8</sub> - 1 <sup>3</sup> / <sub>4</sub> " x 2 - 2 <sup>3</sup> / <sub>8</sub> "	Silicone & Metal**	•
				Spa	ace Occup	ying Pessa	ries				
MXPDO	Donut		•						2½ - 3¼"	Silicone	
MXPGE	Gellhorn		•						2¼ - 3"	Silicone	
MXPEC	Cube		•	•	•	•			1 3/8 - 1 3/4"	Silicone	
MXPINF	Inflatoball		•		•	•			21/4 - 21/2"	Latex	

<sup>\*</sup> Jones KA, Harmanli O. Pessary use in pelvic organ prolapse and urinary incontinence. Rev Obstet Gynecol. 2010;3(1):3-9.

<sup>\*</sup> Manufacturer Instructions for Use.

<sup>\*\*</sup> Larger sizes contain metal

800.243.2974 | 203.601.5200 www.coopersurgical.com

