CVC CATETER IMPORTANT RISK INFORMATION

Indications for Use: The Medcomp® Pro-Line™ CT Power Injectable CVC is indicated for short or long term access to the central venous system. It is designed for administering I.V. fluids, blood products, drugs and parenteral nutrition solutions, as well as blood withdrawal and power injection of contrast media. The maximum recommended infusion rate is 5cc/sec. The maximum pressure of power injectors used with the Pro-Line™ CT Power Injectable CVC may not exceed 300 psi.

Contraindications: The presence of device related infection, bacteremia, or septicemia is known or suspected. This catheter is intended for short or long-term vascular access and should not be used for any purpose other than indicated in these instructions. The patient is known or is suspected to be allergic to materials contained in the device.

Indications for Use: The Medcomp® LT CVC Catheter is designed for long-term central venous access. It can be used for total parenteral nutrition (TPN), infusion of I.V. liquids, blood, blood products and drugs. It can also be used for repeated withdrawal of blood samples.

Contraindications: This catheter is NOT intended for any use other than that which is indicated. It is NOT recommended for use in hemodialysis or in hemoperfusion procedures, nor in patients with severe chronic obstructive lung disease.

TRI-FLOW


Indications for Use: The Medcomp® Tri-Flow Triple Lumen Catheter is designed for acute central vein catheterization, TPN, fluid administration, drug infusion, and continuous therpies. It may be inserted percutaneously and is ideally placed in the internal jugular vein. Although this catheter may be inserted into the subclavian or femoral vein, the internal jugular is the preferred site.

Contraindications: This catheter is not intended for dialysis, or any use other than that which is indicated. Do not implant catheter in thrombosed vessels.

Refer to Instructions for Use provided with the product for complete instructions, warnings, precautions, and contraindications. Observe all instructions for use prior to using products. Failure to do so may result in patient complications.

5F, 6F, 7F French Sizes 5cc/sec @ 300psi Injection Rating

CUFF PLACEMENT AT 2CM OR 5CM



ID RINGS CLEARLY LABELED







CUFF 5CM FROM HUB, BASIC SET			
MD28035101	5F X 60CM PRO-LINE®, SINGLE LUMEN	5/BOX	
MD28036101	6F X 60CM PRO-LINE®, SINGLE LUMEN	5/BOX	
MD28037101	7F X 60CM PRO-LINE®, SINGLE LUMEN	5/BOX	
MD28035201	5F X 55CM PRO-LINE®. DOUBLE LUMEN	5/BOX	
IVID2603520 I	of a social pro-line", Double Lumen	5/BUX	
MD28036201	6F X 60CM PRO-LINE®, DOUBLE LUMEN	5/BOX	
MD28037201	7F X 60CM PRO-LINE®, DOUBLE LUMEN	5/BOX	
MD28036301	6F X 60CM PRO-LINE®, TRIPLE LUMEN	5/BOX	

CUFF 2CM FROM HUB, BASIC SET			
MD28035121	5F X 60CM PRO-LINE®, SINGLE LUMEN	5/BOX	
MD28036121	6F X 60CM PRO-LINE®, SINGLE LUMEN	5/BOX	
MD28035221	5F X 55CM PRO-LINE®, DOUBLE LUMEN	5/BOX	
MD28036221	6F X 60CM PRO-LINE®, DOUBLE LUMEN	5/BOX	

	CUFF 5CM FROM HUB, BASIC O.R. SET	
MR28036104	6F X 60CM PRO-LINE®, SINGLE LUMEN	5/BOX
MR28037104	7F X 60CM PRO-LINE®, SINGLE LUMEN	5/BOX
MR28036204	6F X 60CM PRO-LINE®, DOUBLE LUMEN	5/BOX
MR28037204	7F X 60CM PRO-LINE®, DOUBLE LUMEN	5/BOX
MR28036304	6F X 60CM PRO-LINE®, TRIPLE LUMEN	5/BOX

BASIC SET CONTENTS: (1) Catheter w/ Stylet (1) Introducer Needle (1) Peelable Introducer (1) 10cc Syringe

- (1) Guidewire
- (1) Scalpel
- (1) Tape Measure
- (1) Tape Wesstle
 (2) Tunnelers
 (1 | 2 | 3) Needle Free Valve(s)
 (1) Securement Device
 (1) Patient Chart Sticker
 (1) Patient ID Card

BASIC O.R. SET CONTENTS:

- (1) Catheter
- (1) Introducer Needle
- (1) Peelable Introducer
- (1) 10cc Syringe

- (1) 10cc Syringe (1) Guidewire (1) Scalpel (1) Tape Measure (2) Tunnelers (1 | 2 | 3) Needle Free Valve(s) (1) Securement Device
- (1) Patient Chart Sticker
- (1) Patient ID Card

