



NON-TRENDELENBURG RECLINERS

5000 Series





PREMIUM SERIES MEDICAL RECLINERS



BEAUTY THAT HEALS

Medical furnishings can enhance a positive patient experience based on appearance as well as function. Winco premium recliners are designed to provide patient comfort and provide a sense of independence.

An assortment of healthgrade vinyl options are available. For a more residential feel, pair two vinyl options (shown at right). At Winco, we believe providing beautiful quality solutions contributes to more positive patient response.

ERGONOMICS THAT MATTER

Easily accessed controls provide an enhanced patient experience that can aide in accelerating recovery time.

Foot operated controls, waist level recline levers, and easy-to-use side tables help reduce the need for caregivers to bend while enabling them to be more efficient.

WINCO ADVANTAGE

Attention to detail and quality are the cornerstones on which Winco designs and manufactures all of their products.

Winco's full line of medical furnishings are designed to promote greater patient independence, increased caregiver safety, and enhanced facility efficiency.



Vere Swing-Arm shown in Aquamarine (56) with optional urethane arms, 5" casters, and side table with wood tabletop upgrade





ENHANCING THE PATIENT & CAREGIVER EXPERIENCE

Explore the art & science of Winco premium recliners.

We offer an array of solutions to fit the needs of the facility, their caregivers and their patients. Visit our website to view our full assortment of vinyl options.

Visit wincomfg.com to view our full line of medical furnishings as well as the extensive selection of options and accessories available.

Made in the USA

PREMIUM COLLECTION HIGHLIGHTS



OPTION AND ACCESSORY SUGGESTIONS



POWER RECLINE
*PRC models only



PUSH HANDLE



HEADREST COVER & PILLOW SET



HEAT & MASSAGE

*Heat Only option
also available



TRENDELENBURG RECLINE

AT-A-GLANCE MODEL GUIDE

| SERIES | CONFIGURABLE | LAY-FLAT 24-HOUR | TRENDELENBURG | SWING ARM | GAS ASSIST | POWER RECLINE | WEIGHT CAPACITY |
|-----------|--------------|------------------|---------------|-----------|------------|---------------|--------------------|
| VERŌ | YES | N/A | 0 | 0 | 0 | 0 | 350 LBS or 500 LBS |
| AUGUSTINE | N/A | N/A | N/A | N/A | √ | N/A | 500 LBS |
| INVERNESS | N/A | √ | √ | √ | √ | N/A | 500 LBS |

VERŌ

Verō can be configured in hundreds of combinations including with or without Trendelenburg, with or without power recline, in standard or XL capacity, and with pedestal feet or casters.



Verō Swing-Arm shown in Luggage (74) with 5" casters



Verō PRC shown in Bottle (85) and Limestone (57)



Verō PRC shown in Bottle (85) and Limestone (57) with optional urethane arm caps, 3" dual casters, and headrest cover & pillow set

DURABLE BEAUTY BUILT FOR HEALING

Verō's modular design helps you choose a configuration that is perfectly suited to meet the specific needs of your facility and your patients.

AUGUSTINE

Designed to mimic home furnishings, the Augustine's low profile and spacious seat provide ease of entry and patient comfort.



Shown with footrest fully extended.



Shown in Smokehouse and Meteor with optional heat & massage controls and headrest cover.



Shown with optional neck pillow & headrest cover set.

CLINICAL ENHANCEMENT

A quick release seat provides full access to the interior section of the recliner for simple, quick and thorough cleaning.

INVERNESS

Inverness provides premium comfort with 24-hour layflat functionality for overnight treatment. Inverness features bilateral controls, front-locking brake tabs, an infinitely adjustable backrest, foot-operated swing arm release, and a locking footplate.





Shown in Putty and Plata. Standard features shown here.



Recliners shown with Putty and Plata.

ERGONOMIC UTILITY ENGINEERED TO LAST

Large, 5" casters allow effortless chair movement. Independent locking casters and fixed front casters provide stable steering. Bilateral, 180° swing arms allow barrier-free patient transfer and innovative safety shields make cleaning a snap.

UPHOLSTERY GUIDE

Winco has over 50 healthcare grade vinyl options to choose from.

The healthcare environment is enhanced by quality products and beautiful aesthetics. Winco's Premium Recliner Collection fosters personalization by offering single color or dual color upholstery options. Whether one or two vinyls per chair are desired we make each recliner to meet your specifications and needs.

We also welcome your vinyl selection.

Winco also accepts your custom upholstery option which means you can supply exactly the coverings you want for your project.



COLOR SWATCH COLLECTION



The above is a representative sample of Winco stocked vinyls.

Certain restrictions and fees will apply on two vinyl and custom vinyl selections. Ask a Winco team member for details.

PREMIUM SERIES MEDICAL RECLINERS

MATCH YOUR PURPOSE

Start with one of three base models (Augustine, Inverness, or Verō), select the configurations to best suit your facility needs, add the options and accessories to aide in elevating patient experience.



OPTIONS & ACCESSORIES

Select from multiple options & accessories designed to enhance the patient and caregiver experience: side tables, pillows, heat & massage, and more.









Many more options available



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

TREATMENT RECLINER



Vero PRC with optional 3" dual casters, urethane arm caps and headrest cover & pillow set – shown in Bottle (85) and Limestone (57).

Continuously evolving patient care requirements create opportunities for enhanced solutions. The Verō provides total flexibility in matching your application with exactly the features you require and the comfort your patients demand.

The Verō recliner's modular design allows clinicians to choose the best configuration to perfectly suit their specific needs:

- New Power Recline model (Vero PRC)!
- Multiple recline options and infinite position backrest promote patient independence.
- Bilateral and foot-operated controls provide clinician comfort and convenience.
- Durable construction and easy-to-clean surfaces enable increased efficiency.

DESIGNED BY WINCO, BUILT BY YOU. THAT'S JUST SMART.





VERŌ CARE CLINER

ANATOMY OF THE VERÖ CARE CLINER





Swing Arm models only

(Pedestal Feet or 3" Caster options available)

TRENDELENBURG

Verō Recliners are available with Trendelenburg (6 series) or without (5 series). On the Verō, Trendelenburg is controlled with bilateral access foot levers, reducing cinician's need to bend to reach controls. PRC models (with power recline) offer push-button recovery from Trendelenburg to minimize potential for clinician back strain.

Exclusive to *Verō*, Secure-Glide™ provides gentle patient positioning while avoiding injury to caregivers. The controlled descent helps eliminate any need or natural reflex to manually control the rapid patient descent in emergency situations.





Secure-Glide[™] for stress-free positioning



Foot lever for exclusive Secure-Glide Trendelenburg descent

RECLINE CONTROL OPTIONS

All $\it Ver\bar{o}$ models feature convenient and comfortable infinite positioning of the back rest. With $\it Ver\bar{o}$, you have three options available for controlling recliner positioning:

Power Easy recline and recovery from trendelenburg at the push of a button. One switch standard. Dual switches and/or pendant options available.

Gas Assist provides positive locking position of the backrest angle with gas cylinder assisted operation. Locking action is controlled by easily accessed bilateral control levers.

Push-Back allows seamless positioning of the desired back rest angle. The gravity operated, gentle resistance designed into the chair maintains selected positioning.



Power Recline
PRC models



Gas Assist 5X and 6X models



Push Back 5X and 6X models

ARM OPTIONS

Functionality is enhanced through the availability of two arm configurations. Standard fixed arms are cost-effective, sturdy and durable. Optional swing arms allow 180 degree movement of the arm for convenient cleaning access and barrier-free patient transfer.

Swing Arm Option Swing arms are ideal when patient transfer and easy access are important considerations. Each side of the $Ver\bar{o}$ is easily opened with convenient foot controls.

Fixed Arm Option Fixed arms are suitable for most general purpose operations when transfer of patient is not required or where working space is limited.

Upholstered Swing Arm Shown

ARM CAP OPTIONS

Urethane Cap Option Urethane arm caps provides a unique, upscale appearance and added durability.

Urethane Arm Cap
Option



MATCH YOUR PURPOSE

The $Ver\bar{o}$ modular design allows choices in how the chair is anchored or moved. Whether stationary or for patient transport*, $Ver\bar{o}$ has a perfect solution.

Pedestal Feet When mobility is not required or desired, pedestal feet provide a less clinical look and a lower seat height.

Casters provide ease of movement for cleaning, maintenance and staging. Two size options are available. Both include lockable, foot lever release controls.

3" Casters Lower seated height with the flexibility of mobility.

5" Casters are the optimal choice for ease in movement.



It is recommended that after moving the chair always lock the casters prior to patient ingress/egress.

FOOT PLATE


Patients will appreciate the added comfort of the retractable foot plate.

The optional footplate is available for models with 5" casters. Its sturdy design is weight-bearing.

The footplate locks as weight is applied to prevent unwanted or unexpected movement.

Note: Patients should be assisted at all times by a staff member when using the footplate.







PUSH HANDLE OPTION

The push handle option is recommended in combination with footplate models if the chair is to be used for in-facility patient transport*.

*Only 5X, 6X or PRC models with footplate and push handle are suitable for patient transport. See User Manual for important details.




SIZE / CAPACITY OPTIONS FOR MAXIMIZED FLEXIBILITY

The *Verō* is available in two sizes: standard and X-large. No matter which size is specified, *Verō* offers comfort, beauty and durability.

- Standard seat width is 22.5" between arms with a 350 pound weight capacity. This chair makes petite to average size patients feel right at home.
- X-large seat width is 26.5" between arms with a 500 pound weight capacity, making it suitable to care for Bariatric patients and provide a comfortable experience.







Standard 350 lb Capacity

TABLE OPTIONS

There are three table options; standard, pivot and premium. All tables on the Verō are available in left, right or both configurations and can be ordered in a variety of combinations to suit facility requirements and clinician preference. All feature a stain resistant, non-porous material and all but the pivot table have a lip edge design to contain small spills.

Each standard table adds 2.75" (2.5" for XL) to the overall chair width when lowered. Each premium table adds 1.25" (1" for XL) to the overall chair width when lowered. This added width should be considered when ordering table options appropriate for your facility.



Standard Table



Pivot Table



Premium Table

- **Standard table** This value priced lift-to-raise-and-lower table will be familiar to current Winco Elite series owners.
- Pivot table swivels so patient can have the table in front of them.
- **Premium table** features an intuitive single hand up/down feature with audible positive lock and release.

COMPLEMENT DESIGN & UTILITY

- Heat Only Option provides three patient-selected soothing warmth ranges for maximum comfort.
- Heat and Massage Option adds a selection of five gentle vibrating massage modes to the heat option, enhancing patient comfort level.
- Optional Accessory Hook The stainless steel hook remains flush until needed, making it a convenient choice for a Foley bag. Available for either left, right or both sides.
- Optional IV Pole and Holder for either left, right or both sides
- Headrest Cover and Armrest Covers Covers extend the life of the headrest and armrests and are fastener-free, making them easy to lift on and off.





Accessory Hook
Shown here with Foley bag



IV Holder Mount
Available for left, right or both sides

MODELS & SPECIFICATIONS

| MOBILITY OPTION | | PEDEST | TAL FEET | | | 3" CASTERS | | | 5" CASTERS | | | |
|---|---|--|---|--|---|--|---|--|---|--|---|--|
| RECLINER SIZE | STAN | DARD | X-LJ | RGE | STAN | DARD | X-LA | ARGE | STAN | DARD | X-LA | ARGE |
| MODEL OPTION | PUSH BACK/ GAS BACK | POWER |
| SEAT HEIGHT TO FLOOR | 19.25 in (48.9 cm) | 20.25 in (51.4 cm) | 19.25 in (48.9cm) | 20.25 in (51.4 cm) | 19.75 in (50.2 cm) | 20.75 in (52.7 cm) | 19.75 in (50.2 cm) | 20.75 in (52.7 cm) | 22.75 in (57.8 cm) | 23.75 in (60.3 cm) | 22.75 in (57.8cm) | 23.75 in (60.3 cm) |
| SEAT WIDTH | 22.5 in (57.2cm) | 22.5 in (57.2cm) | 26.5 in (67.3cm) | 26.5 in (67.3cm) | 22.5 in (57.2cm) | 22.5 in (57.2cm) | 26.5 in (67.3cm) | 26.5 in (67.3cm) | 22.5 in (57.2cm) | 22.5 in (57.2cm) | 26.5 in (67.3cm) | 26.5 in (67.3cm) |
| SEAT DEPTH | 22 in (55.9cm) | 23.5 in (59.7cm) |
| OVERALL HEIGHT | 44.75 in (113.7cm) | 44 in (111.8cm) | 44.75 in (113.7cm) | 44 in (111.8cm) | 45.25 in (115 cm) | 44.5 in (113 cm) | 45.25 in (115 cm) | 44.5 in (113 cm) | 48.25 in (122.6cm) | 47.5 in (120.7cm) | 48.25 in (122.6cm) | 47.5 in (120.7cm) |
| OVERALL WIDTH (FIXED ARMS / NO TABLES)* | 29.5 in (11.61 cm) | 29.5 in (11.61 cm) | 34 in (13.39 cm) | 34 in (13.39 cm) | 29.5 in (11.61 cm) | 29.5 in (11.61 cm) | 34 in (13.39 cm) | 34 in (13.39 cm) | 29.5 in (11.61 cm) | 29.5 in (11.61 cm) | 34 in (13.39 cm) | 34 in (13.39 cm) |
| SEAT BACK HEIGHT | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) |
| OVERALL LENGTH | Upright: 39.5 in (100.3cm) Reclined: 69in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5" in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) |
| ARM HEIGHT | 25.5 in (64.8cm) | 25.5 in (64.8cm) | 25.5 in (64.8cm) | 25.5 in (64.8cm) | 26" (66 cm) | 26 in (66 cm) | 26" (66 cm) | 26 in (66 cm) | 29 in (73.7cm) | 29 in (73.7cm) | 29 in (73.7cm) | 29 in (73.7cm) |
| WEIGHT (NO OPTIONS)* | Push Back: 104 lb (47.17 kg) Gas Back: 108 lb (48.99 kg) | 140 lb (63.5 kg) | Push Back: 122 lb (55.31 kg) Gas Back: 126 lb (57.15 kg) | 158 lb (71.67 kg) | Push Back: 104 lb (47.17 kg) Gas Back: 108 lb (48.99 kg) | 140 lb (63.5 kg) | Push Back: 122 lb (55.31 kg) Gas Back: 126 lb (57.15 kg) | 158 lb (71.67 kg) | Push Back: 104 lb (47.17 kg) Gas Back: 108 lb (48.99 kg) | 140 lb (63.5 kg) | Push Back: 122 lb (55.31 kg) Gas Back: 126 lb (57.15 kg) | 158 lb (71.67 kg) |
| WEIGHT CAPACITY | 350 lb (158.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 500 lb (226.8 kg) |

OPTIONS

| | BATTERY Backup | DUAL SWITCHES | WIRED Pendant | SWING ARMS | STANDARD TABLE L, R or Both Sides | PREMIUM TABLE L, R or Both Sides | FOOTPLATE | HEAT | HEAT & Massage | IV POLE L, R or Both Sides | PUSH HANDLE |
|------------------------------|----------------------|----------------------|----------------------|--|--|--|----------------------------|------------|-------------------|-------------------------------|---|
| AVAILABLE FOR | POWER MODELS ONLY | POWER MODELS ONLY | POWER MODELS ONLY | ALL MODELS | ALLMODELS | ALLMODELS | 5 in CASTER MODELS ONLY | ALL MODELS | ALL MODELS | ALLMODELS | Recommended for Footplate models only |
| *ADDITIONAL WEIGHT | +4.75 lb | - | - | - | +51b | +5 lb | +10 lb | + 4 lb | + 4 lb | + 5 lb | + 2 lb |
| *ADDITIONAL OVERALL WIDTH | - | - | - | Open 180°: -28.5 in (standard) / -32.5 in (XL) | Table down: -2.75 in (standard) / -2.5 in (XL) Table up: -13 in (standard) / -12.75 in (XL) Measurements are per table | Table down: -1.25 in (standard)/ -1 in (XL) Table up: -11 in (standard)/ -10.75 in (XL) Measurements are per table | - | - | - | - | - |

Additional options are available. Please contact us to ask about our full line of options.

WARRANTY Contact Winco or visit our website for warranty details.

 ${\tt COLORS} \ {\tt Contact} \ {\tt Winco} \ {\tt or} \ {\tt visit} \ {\tt our} \ {\tt website} \ {\tt for} \ {\tt available} \ {\tt color} \ {\tt selections}.$

 $\ensuremath{\text{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS

- 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing
- 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture
- 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture
- 4) PRC models and Heat and Massage, Heat Only Options: Meet electrical safety standards, UL 1647 and CAN/ CSA-C22.2 No.68-92.
- 5) All individual electrical components for Heat and Massage / Heat Only options and power recline certified to IEC 60601-1.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com





KEY FEATURES

- Sealed two-button power switch embedded on the side of the chair (dual switches and/or wired pendant options available)
- Easy to clean and service
- Durable construction thoroughly tested to withstand the demands of healthcare environments
- Power-return from Trendelenburg (Trendelenburg models only)
- 4-year limited warranty on the power recline control module and actuator motor

Switch to the new Verō PRC

The Verō Power Reclining Chair (PRC) is the newest addition to our popular line of infinitely configurable Verō recliners. Verō PRC is comfortable and convenient for the patient while offering exceptional benefits to the caregiver and added value for facility managers. Caregivers can now assist patients up to 500 lbs at the push of a button with no fear of strain. Trendelenburg models are thoughtfully designed with the capability to **return patients upright from the trendelenburg position**, minimizing potential for caregiver injury.

A sealed power switch is embeded on the patient right side of the recliner for easy access. Add an optional second switch, at patient left side and/or a wired hand pendant for additional patient and caregiver convenience. Verō PRC powers the entire line of Verō recliners offering unmatched configurations, durability, patient comfort and caregiver peace of mind.

Contact Winco today to arrange for a demonstration of the Verō PRC or to request a quote!



SPECIFICATIONS: VERŌ PRC

| FOOT OPTION | PEDEST | TAL FEET | 3" DUAL | CASTERS | 5" CA | STERS |
|--|----------------------|----------------------|----------------------|-----------------------------------|----------------------|----------------------|
| RECLINER SIZE | STANDARD | X-LARGE | STANDARD X-LARGE | | STANDARD | X-LARGE |
| SEAT HEIGHT TO FLOOR | 20.25 in | (51.4 cm) | 20.75 in | (52.7 cm) | 23.75 in | (60.3 cm) |
| SEAT WIDTH | 22.5 in (57.2 cm) | 26.5 in (67.3 cm) | 22.5 in (57.2 cm) | 26.5 in (67.3 cm) | 22.5 in (57.2 cm) | 26.5 in (67.3 cm) |
| SEAT DEPTH | | | 23.5 in (| 59.7 cm) | | |
| OVERALL HEIGHT | 44 in (1 | 11.8 cm) | 44.5 in | 44.5 in (113 cm) | | (120.7 cm) |
| OVERALL WIDTH (FIXED ARMS / NO TABLES)* | 29.5 in (11.6 cm) | 34 in (13.4 cm) | 29.5 in (11.6 cm) | 34 in (13.4 cm) | 29.5 in (11.6 cm) | 34 in (13.4 cm) |
| SEAT BACK HEIGHT | | | 28.75 in | (73 cm) | | |
| OVERALLLENGTH | | | | in (104.1 cm) 25 in (175.9 cm) | | |
| ARM HEIGHT | 25.5 in (| 64.8 cm) | 26 in (| 66 cm) | 29 in (| 73.7 cm) |
| WEIGHT (NO OPTIONS) | 140 lb (63.5 kg) | 158 lb (71.7 kg) | 140 lb (63.5 kg) | | | 158 lb (71.7 kg) |
| WEIGHT CAPACITY | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) |

OPTIONS: VERŌ PRC

- Wired Hand Pendant –
- Dual 180 Degree Swing Arms
- Trendelenburg Positioning
- Standard or XL Seat Widths
- 3" Dual Casters, 5" Casters or Pedestal Feet
- Heat Only or Heat and Massage
- Packages Sliding, Weight Bearing Footplate



- Side Tables and/or Pivot Table
- Battery Back-Up for Recline Functions
- IV Pole
- Push Handle
- Accessory Hook
- Custom Armrest and Headrest Covers
- Urethane Arm Caps
- + Many more clinically useful options and accessories Visit our website for more information

WARRANTY Contact Winco or visit our website for warranty details.

 ${\color{blue}\textbf{COLORS}}\,\textbf{Contact}\,\,\textbf{Winco}\,\,\textbf{or}\,\,\textbf{visit}\,\,\textbf{our}\,\,\textbf{website}\,\,\textbf{for}\,\,\textbf{available}\,\,\textbf{color}\,\,\textbf{selections}.$

 $\ensuremath{\mathsf{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS

- 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing
- 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture
- 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture
- 4) PRC models and Heat and Massage, Heat Only Options: Meet electrical safety standards, UL 1647 and CAN/ CSA-C22.2 No.68-92.
- 5) All individual electrical components for Heat and Massage / Heat Only options and power recline certified to IEC 60601-1.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

AUGUSTINE

TREATMENT RECLINER

PREMIUM COLLECTION



Developed in conjunction with Oncology clinics, the Augustine was designed to be 100% patient-centric; to be comfortable and help put the patient at ease.

- Enhanced range of motion for optimum, patient selectable, positioning
- Spacious seat provides personal space and luxurious comfort
- Thoughtful features to ease chair movement and cleaning
- Unmatched stability and refined styling with concealed casters

Augustine demonstrates Winco's commitment to developing products that meet the needs of the people that live in and touch the recliners on a daily basis.

ENHANCING THE PATIENT AND CAREGIVER EXPERIENCE.



SERENITY: PERSONAL SPACE & INDEPENDENCE

Often the medical treatment environment unavoidably impinges upon the patient's personal space.

Augustine addresses this with:

- A low seat height to ease entry and exit
- A spacious 26" seat width for extra room to stretch out
- Easy access recline controls that allow patients to obtain desired positioning without assistance

When asked about their needs, patients were clear they wanted a chair that provided them with independence and a relaxing experience.

AUGUSTINE IS DESIGNED TO MIMIC FURNITURE THAT YOU WOULD BE PROUD TO HAVE IN YOUR OWN HOME



The Central Front Braking option

CLINICIAN INPUT: DESIGN ENHANCEMENT

Facility managers requested an easier way to thoroughly clean the recliner. Once removed, the Quick-Release Seat provides full access to the inner sides of the recliner, backrest and seat for fast and thorough cleaning.

Simply pull-up at the front and slide forward. The seat is securely tethered so it won't get separated from the recliner. To replace simply line up the tabs, slide into place and push down — done!

QUICK RELASE SEAT: NO NEED
FOR ANY TOOLS AND RISK OF LOST PARTS



CLINICAL UTILITY: PRACTICAL INNOVATION

Augustine has the clinical features required in a high use medical environment — casters for ease of movement, rigorously tested for durability and thoughtful features for ease of cleaning. These chairs bring dignity, comfort and grace back to the clinical setting without forfeiting the necessary clinical utility.

- Standard rear central caster lock for impressive stability
- Quick Release Seat is easily removed for efficient and thorough cleaning
- An optional Central Front Brake allows secure braking from the front of the chair, with no obtrusive levers or mechanisms to catch on or impede staff, patients or visitors.





ANATOMY OF THE AUGUSTINE TREATMENT RECLINER





SPECIFICATIONS

| MODEL | Augustine Treatment Recliner (5001) |
|---------------------------|---|
| Arm Style | Fixed |
| Casters | Front: 3" Fixed Rear: 3" Swivel Central Locking |
| Weight Capacity | 500 lbs (226.80 kg) |
| Overall Height | 45.75" (116.2 cm) |
| Overall Width* | 34.5" (87.63 cm) |
| Seat Height (from Floor) | 19.75" (50.2 cm) |
| Seat Width (Between Arms) | 26" (66.04 cm) |
| Seat Depth | 20.75" (52.71 cm) |
| Seat Back Height | 28.5" (72.39 cm) |
| Armrest Height | 26.75" (67.9 cm) |
| Upright Length | 40.0" (101.6 cm) |
| Recline Length | 76.0" (193.00 cm) |
| Range of Seat Angle | 75° (Upright) 12° (Reclined) |
| Weight | 181 lbs (82.1 kg) |



All specifications subject to change without notice, please contact our customer care team to verify any critical dimensions prior to ordering.

SUGGESTED OPTIONS & ACCESSORIES



IV Pole (IV)
Left, Right or Both Sides



Accessory Hook (AH) Left, Right or Both Sides



Heat Only (HT)



Heat & Massage (HM)



Premium Side Table (PT) Left, Right or Both Sides



Pivot Table (PV) Left, Right or Both Sides



Central Front Brake (BE)

WARRANTY Contact Winco or visit our website for warranty details. COLORS Contact Winco or visit our website for all available color selections. NOTE Winco reserves the right to change specifications without notice. CERTIFICATIONS 1) The Augustine Treatment Recliner meets ANSI/BIFMA X5.4 for reliability testing. 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture. 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for upholstered furniture. 4) Heat and Massage and Heat Only Options meet electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

^{*} Add 2.5" to overall width for each table in the down position.

^{*} Add 11" to overall width for each raised side table.

5291 (WITH DUAL SIDE-TABLES)



Superior Comfort and Support...

- Built-in headrest
- Removable side panels for ease of cleaning
- 3 Locking positions: upright, TV or recline
- Dual side tables
- Padded armrests with scuff guards
- Recessed handgrips provide additional assistance for ingress and egress



SPECIFICATIONS

| DROP-ARM CONVALESCENT RECLINER | 5291 |
|----------------------------------|---------------------------|
| DESCRIPTIONS | DUAL SIDE TABLES INCLUDED |
| Seat Height | 22.5" (54.2 cm) |
| Seat Width | 25" (63.5 cm) |
| Seat Depth | 20" (50.8 cm) |
| Overall Height | 49" (124.5 cm) |
| Overall Width (side tables down) | 36.25" (90.1 cm) |
| Range of Seat Angle | 8° - 32° |
| Range of Back Angle | 62° - 38° |
| Back Height above Seat | 31.5" (80 cm) |
| Overall Length (Back Upright) | 44" (111.8 cm) |
| Overall Length (Back Reclined) | 62" (157.5 cm) |
| Weight | 112 lbs (50.8 kg) |
| Weight Capacity | 450 lbs (204.1 kg) |

SUGGESTED OPTIONS & ACCESSORIES



OVER 50 DESIGNER COLORS AVAILABLE

Additional options and accessories available.

Please visit our website to view a full selection of options or contact your local representative.

WARRANTY Contact Winco or visit our website for warranty details.

COLORS Vsit our website or contact Winco for available color selections and/or swatches

 $\ensuremath{\textbf{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture 4) Heat and Massage, Heat Only Options: Meets electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92



CONTACT US

5400



KEY FEATURES

- 3" Casters
- Urethane armrest covers
- Fixed arms
- 275lb Weight capacity
- 3-Position push-back recline
- Built-in patient positioning lockbar

OUTSTANDING VALUE AND QUALITY

Lower price does not mean lower quality when you purchase a Premier LifCare Cliner.



ANATOMY OF A PREMIER LIFECARE CLINER

Full-coverage elastic support system in seat and frame back provide total support and enhanced comfort.

Patient-positioning lock-bar.

3" nylon casters for easy maneuverability.



SPECIFICATIONS

| MODEL | 5400 |
|---------------------------|---------|
| Seat Height | 19.75" |
| Seat Width (Between Arms) | 19.5" |
| Seat Depth | 20" |
| Overall Height | 45.25" |
| Overall Width* | 27.75" |
| Back Height (Above Seat) | 30.5" |
| Overall Length (Upright) | 39.5" |
| Overall Length (Reclined) | 62" |
| Arm Height | 27.5" |
| Weight | 90 lbs |
| Weight Capacity | 275 lbs |

SUGGESTED OPTIONS & ACCESSORIES



Accessory Hook (AH)
Left, Right or Both Sides



Contoured Headrest (CHOO)



Contoured urethane armrests *wood options also available.

Oxygen Tank Holder O2) Left, Right or Both Sides

* Add 1" to chair width for each side table in down position. Add 10.5" to chair width for each raised side table.

WARRANTY Contact Winco or visit our website for warranty details.

 $\textbf{COLORS} \ \ \text{Vsit our website or contact Winco for available color selections and/or swatches}$

NOTE Winco reserves the right to change specifications without notice.

CERTIFICATIONS 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

5851 (WITH TRAY) / 5861 (WITHOUT TRAY)



Value, Durability and Comfort...

- Molded side-panels
- Push handle for easy maneuverability
- 3 Locking positions: upright, TV or recline
- Padded armrests with scuff guards
- Recessed handgrips provide additional assistance for ingress and egress
- Model 5851: Side storage for lap tray



SPECIFICATIONS

| LIFE CARE CLINER | 5851 | 5861 | | | |
|--------------------------------|-----------------------------------|----------|--|--|--|
| DESCRIPTIONS | TRAY INCLUDED | NO TRAY | | | |
| Seat Height | 20" (50 | 0.8 cm) | | | |
| Seat Width | 19" (48 | 3.3 cm) | | | |
| Seat Depth | 20" (50 | 0.8 cm) | | | |
| Overall Height | 46.5" (1 | 18.1 cm) | | | |
| Overall Width | 26.5" (6 | 57.3 cm) | | | |
| Range of Seat Angle | 8° - | 32° | | | |
| Range of Back Angle | 62° - | - 38° | | | |
| Back Height above Seat | 32" (8' | 1.3 cm) | | | |
| Overall Length (Back Upright) | 41" (10 | 4.1 cm) | | | |
| Overall Length (Back Reclined) | 63" (160 cm) | | | | |
| Weight | 85 lbs (38.6 kg) 80 lbs (36.3 kg) | | | | |
| Weight Capacity | 275lbs (124.7 kg) | | | | |

SUGGESTED OPTIONS & ACCESSORIES



OVER 50 DESIGNER COLORS AVAILABLE

Additional options and accessories available.

Please visit our website to view a full selection of options or contact your local representative.

WARRANTY Contact Winco or visit our website for warranty details.

COLORS Vsit our website or contact Winco for available color selections and/or swatches

 $\ensuremath{\textbf{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture 4) Heat and Massage, Heat Only Options: Meets electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92



CONTACT US



TRENDELENBURG RECLINERS

6000 Series





PREMIUM SERIES MEDICAL RECLINERS



BEAUTY THAT HEALS

Medical furnishings can enhance a positive patient experience based on appearance as well as function. Winco premium recliners are designed to provide patient comfort and provide a sense of independence.

An assortment of healthgrade vinyl options are available. For a more residential feel, pair two vinyl options (shown at right). At Winco, we believe providing beautiful quality solutions contributes to more positive patient response.

ERGONOMICS THAT MATTER

Easily accessed controls provide an enhanced patient experience that can aide in accelerating recovery time.

Foot operated controls, waist level recline levers, and easy-to-use side tables help reduce the need for caregivers to bend while enabling them to be more efficient.

WINCO ADVANTAGE

Attention to detail and quality are the cornerstones on which Winco designs and manufactures all of their products.

Winco's full line of medical furnishings are designed to promote greater patient independence, increased caregiver safety, and enhanced facility efficiency.



Vere Swing-Arm shown in Aquamarine (56) with optional urethane arms, 5" casters, and side table with wood tabletop upgrade





ENHANCING THE PATIENT & CAREGIVER EXPERIENCE

Explore the art & science of Winco premium recliners.

We offer an array of solutions to fit the needs of the facility, their caregivers and their patients. Visit our website to view our full assortment of vinyl options.

Visit wincomfg.com to view our full line of medical furnishings as well as the extensive selection of options and accessories available.

Made in the USA

PREMIUM COLLECTION HIGHLIGHTS



OPTION AND ACCESSORY SUGGESTIONS



POWER RECLINE
*PRC models only



PUSH HANDLE



HEADREST COVER & PILLOW SET



HEAT & MASSAGE
*Heat Only option
also available



TRENDELENBURG RECLINE

AT-A-GLANCE MODEL GUIDE

| SERIES | CONFIGURABLE | LAY-FLAT 24-HOUR | TRENDELENBURG | SWING ARM | GAS ASSIST | POWER RECLINE | WEIGHT CAPACITY |
|-----------|--------------|------------------|---------------|-----------|------------|---------------|--------------------|
| VERŌ | YES | N/A | 0 | 0 | 0 | 0 | 350 LBS or 500 LBS |
| AUGUSTINE | N/A | N/A | N/A | N/A | √ | N/A | 500 LBS |
| INVERNESS | N/A | √ | √ | √ | √ | N/A | 500 LBS |

VERŌ

Verō can be configured in hundreds of combinations including with or without Trendelenburg, with or without power recline, in standard or XL capacity, and with pedestal feet or casters.







Verō PRC shown in Bottle (85) and Limestone (57)



Verō PRC shown in Bottle (85) and Limestone (57) with optional urethane arm caps, 3" dual casters, and headrest cover & pillow set

DURABLE BEAUTY BUILT FOR HEALING

Verō's modular design helps you choose a configuration that is perfectly suited to meet the specific needs of your facility and your patients.

AUGUSTINE

Designed to mimic home furnishings, the Augustine's low profile and spacious seat provide ease of entry and patient comfort.



Shown with footrest fully extended.



Shown in Smokehouse and Meteor with optional heat & massage controls and headrest cover.



Shown with optional neck pillow & headrest cover set.

CLINICAL ENHANCEMENT

A quick release seat provides full access to the interior section of the recliner for simple, quick and thorough cleaning.

INVERNESS

Inverness provides premium comfort with 24-hour layflat functionality for overnight treatment. Inverness features bilateral controls, front-locking brake tabs, an infinitely adjustable backrest, foot-operated swing arm release, and a locking footplate.





Shown in Putty and Plata. Standard features shown here.



Recliners shown with Putty and Plata.

ERGONOMIC UTILITY ENGINEERED TO LAST

Large, 5" casters allow effortless chair movement. Independent locking casters and fixed front casters provide stable steering. Bilateral, 180° swing arms allow barrier-free patient transfer and innovative safety shields make cleaning a snap.

UPHOLSTERY GUIDE

Winco has over 50 healthcare grade vinyl options to choose from.

The healthcare environment is enhanced by quality products and beautiful aesthetics. Winco's Premium Recliner Collection fosters personalization by offering single color or dual color upholstery options. Whether one or two vinyls per chair are desired we make each recliner to meet your specifications and needs.

We also welcome your vinyl selection.

Winco also accepts your custom upholstery option which means you can supply exactly the coverings you want for your project.



COLOR SWATCH COLLECTION



The above is a representative sample of Winco stocked vinyls.

Certain restrictions and fees will apply on two vinyl and custom vinyl selections. Ask a Winco team member for details.

PREMIUM SERIES MEDICAL RECLINERS

MATCH YOUR PURPOSE

Start with one of three base models (Augustine, Inverness, or Verō), select the configurations to best suit your facility needs, add the options and accessories to aide in elevating patient experience.



OPTIONS & ACCESSORIES

Select from multiple options & accessories designed to enhance the patient and caregiver experience: side tables, pillows, heat & massage, and more.









Many more options available



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

TREATMENT RECLINER



Vero PRC with optional 3" dual casters, urethane arm caps and headrest cover & pillow set – shown in Bottle (85) and Limestone (57).

Continuously evolving patient care requirements create opportunities for enhanced solutions. The Verō provides total flexibility in matching your application with exactly the features you require and the comfort your patients demand.

The Verō recliner's modular design allows clinicians to choose the best configuration to perfectly suit their specific needs:

- New Power Recline model (Vero PRC)!
- Multiple recline options and infinite position backrest promote patient independence.
- Bilateral and foot-operated controls provide clinician comfort and convenience.
- Durable construction and easy-to-clean surfaces enable increased efficiency.

DESIGNED BY WINCO, BUILT BY YOU. THAT'S JUST SMART.





VERŌ CARE CLINER

ANATOMY OF THE VERÖ CARE CLINER





TRENDELENBURG

Verō Recliners are available with Trendelenburg (6 series) or without (5 series). On the Verō, Trendelenburg is controlled with bilateral access foot levers, reducing cinician's need to bend to reach controls. PRC models (with power recline) offer push-button recovery from Trendelenburg to minimize potential for clinician back strain.

Exclusive to *Verō*, Secure-Glide™ provides gentle patient positioning while avoiding injury to caregivers. The controlled descent helps eliminate any need or natural reflex to manually control the rapid patient descent in emergency situations.





Secure-Glide[™] for stress-free positioning



Foot lever for exclusive Secure-Glide Trendelenburg descent

RECLINE CONTROL OPTIONS

All $\it Ver\bar{o}$ models feature convenient and comfortable infinite positioning of the back rest. With $\it Ver\bar{o}$, you have three options available for controlling recliner positioning:

Power Easy recline and recovery from trendelenburg at the push of a button. One switch standard. Dual switches and/or pendant options available.

Gas Assist provides positive locking position of the backrest angle with gas cylinder assisted operation. Locking action is controlled by easily accessed bilateral control levers.

Push-Back allows seamless positioning of the desired back rest angle. The gravity operated, gentle resistance designed into the chair maintains selected positioning.



Power Recline
PRC models



Gas Assist 5X and 6X models



Push Back 5X and 6X models

ARM OPTIONS

Functionality is enhanced through the availability of two arm configurations. Standard fixed arms are cost-effective, sturdy and durable. Optional swing arms allow 180 degree movement of the arm for convenient cleaning access and barrier-free patient transfer.

Swing Arm Option Swing arms are ideal when patient transfer and easy access are important considerations. Each side of the $Ver\bar{o}$ is easily opened with convenient foot controls.

Fixed Arm Option Fixed arms are suitable for most general purpose operations when transfer of patient is not required or where working space is limited.

Upholstered Swing Arm Shown

ARM CAP OPTIONS

Urethane Cap Option Urethane arm caps provides a unique, upscale appearance and added durability.

Urethane Arm Cap
Option



MATCH YOUR PURPOSE

The $Ver\bar{o}$ modular design allows choices in how the chair is anchored or moved. Whether stationary or for patient transport*, $Ver\bar{o}$ has a perfect solution.

Pedestal Feet When mobility is not required or desired, pedestal feet provide a less clinical look and a lower seat height.

Casters provide ease of movement for cleaning, maintenance and staging. Two size options are available. Both include lockable, foot lever release controls.

3" Casters Lower seated height with the flexibility of mobility.

5" Casters are the optimal choice for ease in movement.



It is recommended that after moving the chair always lock the casters prior to patient ingress/egress.

FOOT PLATE


Patients will appreciate the added comfort of the retractable foot plate.

The optional footplate is available for models with 5" casters. Its sturdy design is weight-bearing.

The footplate locks as weight is applied to prevent unwanted or unexpected movement.

Note: Patients should be assisted at all times by a staff member when using the footplate.







PUSH HANDLE OPTION

The push handle option is recommended in combination with footplate models if the chair is to be used for in-facility patient transport*.

*Only 5X, 6X or PRC models with footplate and push handle are suitable for patient transport. See User Manual for important details.




SIZE / CAPACITY OPTIONS FOR MAXIMIZED FLEXIBILITY

The *Verō* is available in two sizes: standard and X-large. No matter which size is specified, *Verō* offers comfort, beauty and durability.

- Standard seat width is 22.5" between arms with a 350 pound weight capacity. This chair makes petite to average size patients feel right at home.
- X-large seat width is 26.5" between arms with a 500 pound weight capacity, making it suitable to care for Bariatric patients and provide a comfortable experience.







Standard 350 lb Capacity

TABLE OPTIONS

There are three table options; standard, pivot and premium. All tables on the Verō are available in left, right or both configurations and can be ordered in a variety of combinations to suit facility requirements and clinician preference. All feature a stain resistant, non-porous material and all but the pivot table have a lip edge design to contain small spills.

Each standard table adds 2.75" (2.5" for XL) to the overall chair width when lowered. Each premium table adds 1.25" (1" for XL) to the overall chair width when lowered. This added width should be considered when ordering table options appropriate for your facility.



Standard Table



Pivot Table



Premium Table

- **Standard table** This value priced lift-to-raise-and-lower table will be familiar to current Winco Elite series owners.
- Pivot table swivels so patient can have the table in front of them.
- **Premium table** features an intuitive single hand up/down feature with audible positive lock and release.

COMPLEMENT DESIGN & UTILITY

- Heat Only Option provides three patient-selected soothing warmth ranges for maximum comfort.
- Heat and Massage Option adds a selection of five gentle vibrating massage modes to the heat option, enhancing patient comfort level.
- Optional Accessory Hook The stainless steel hook remains flush until needed, making it a convenient choice for a Foley bag. Available for either left, right or both sides.
- Optional IV Pole and Holder for either left, right or both sides
- Headrest Cover and Armrest Covers Covers extend the life of the headrest and armrests and are fastener-free, making them easy to lift on and off.





Accessory Hook Shown here with Foley bag



IV Holder Mount

Available for left, right or both sides

MODELS & SPECIFICATIONS

| MOBILITY OPTION | PEDESTAL FEET | | | 3" CASTERS | | | 5" CASTERS | | | | | |
|---|---|--|---|--|---|--|---|--|---|--|---|--|
| RECLINER SIZE | STAN | DARD | X-LJ | RGE | STAN | DARD | X-LA | ARGE | STAN | DARD | X-LA | ARGE |
| MODEL OPTION | PUSH BACK/ GAS BACK | POWER |
| SEAT HEIGHT TO FLOOR | 19.25 in (48.9 cm) | 20.25 in (51.4 cm) | 19.25 in (48.9cm) | 20.25 in (51.4 cm) | 19.75 in (50.2 cm) | 20.75 in (52.7 cm) | 19.75 in (50.2 cm) | 20.75 in (52.7 cm) | 22.75 in (57.8 cm) | 23.75 in (60.3 cm) | 22.75 in (57.8cm) | 23.75 in (60.3 cm) |
| SEAT WIDTH | 22.5 in (57.2cm) | 22.5 in (57.2cm) | 26.5 in (67.3cm) | 26.5 in (67.3cm) | 22.5 in (57.2cm) | 22.5 in (57.2cm) | 26.5 in (67.3cm) | 26.5 in (67.3cm) | 22.5 in (57.2cm) | 22.5 in (57.2cm) | 26.5 in (67.3cm) | 26.5 in (67.3cm) |
| SEAT DEPTH | 22 in (55.9cm) | 23.5 in (59.7cm) |
| OVERALL HEIGHT | 44.75 in (113.7cm) | 44 in (111.8cm) | 44.75 in (113.7cm) | 44 in (111.8cm) | 45.25 in (115 cm) | 44.5 in (113 cm) | 45.25 in (115 cm) | 44.5 in (113 cm) | 48.25 in (122.6cm) | 47.5 in (120.7cm) | 48.25 in (122.6cm) | 47.5 in (120.7cm) |
| OVERALL WIDTH (FIXED ARMS / NO TABLES)* | 29.5 in (11.61 cm) | 29.5 in (11.61 cm) | 34 in (13.39 cm) | 34 in (13.39 cm) | 29.5 in (11.61 cm) | 29.5 in (11.61 cm) | 34 in (13.39 cm) | 34 in (13.39 cm) | 29.5 in (11.61 cm) | 29.5 in (11.61 cm) | 34 in (13.39 cm) | 34 in (13.39 cm) |
| SEAT BACK HEIGHT | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) | 29 in (73.7 cm) | 28.75 in (73 cm) |
| OVERALL LENGTH | Upright: 39.5 in (100.3cm) Reclined: 69in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5" in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) | Upright: 39.5 in (100.3cm) Reclined: 69 in (175.3cm) | Upright: 41 in (104.1cm) Reclined: 69.25 in (175.9cm) |
| ARM HEIGHT | 25.5 in (64.8cm) | 25.5 in (64.8cm) | 25.5 in (64.8cm) | 25.5 in (64.8cm) | 26" (66 cm) | 26 in (66 cm) | 26" (66 cm) | 26 in (66 cm) | 29 in (73.7cm) | 29 in (73.7cm) | 29 in (73.7cm) | 29 in (73.7cm) |
| WEIGHT (NO OPTIONS)* | Push Back: 104 lb (47.17 kg) Gas Back: 108 lb (48.99 kg) | 140 lb (63.5 kg) | Push Back: 122 lb (55.31 kg) Gas Back: 126 lb (57.15 kg) | 158 lb (71.67 kg) | Push Back: 104 lb (47.17 kg) Gas Back: 108 lb (48.99 kg) | 140 lb (63.5 kg) | Push Back: 122 lb (55.31 kg) Gas Back: 126 lb (57.15 kg) | 158 lb (71.67 kg) | Push Back: 104 lb (47.17 kg) Gas Back: 108 lb (48.99 kg) | 140 lb (63.5 kg) | Push Back: 122 lb (55.31 kg) Gas Back: 126 lb (57.15 kg) | 158 lb (71.67 kg) |
| WEIGHT CAPACITY | 350 lb (158.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 500 lb (226.8 kg) |

OPTIONS

| | BATTERY Backup | DUAL SWITCHES | WIRED Pendant | SWING ARMS | STANDARD TABLE L, R or Both Sides | PREMIUM TABLE L, R or Both Sides | FOOTPLATE | HEAT | HEAT & Massage | IV POLE L, R or Both Sides | PUSH HANDLE |
|------------------------------|----------------------|----------------------|----------------------|--|--|--|----------------------------|------------|-------------------|-------------------------------|---|
| AVAILABLE FOR | POWER MODELS ONLY | POWER MODELS ONLY | POWER MODELS ONLY | ALL MODELS | ALLMODELS | ALLMODELS | 5 in CASTER MODELS ONLY | ALL MODELS | ALL MODELS | ALLMODELS | Recommended for Footplate models only |
| *ADDITIONAL WEIGHT | +4.75 lb | - | - | - | +51b | +5 lb | +10 lb | + 4 lb | + 4 lb | + 5 lb | + 2 lb |
| *ADDITIONAL OVERALL WIDTH | - | - | - | Open 180°: -28.5 in (standard) / -32.5 in (XL) | Table down: -2.75 in (standard) / -2.5 in (XL) Table up: -13 in (standard) / -12.75 in (XL) Measurements are per table | Table down: -1.25 in (standard)/ -1 in (XL) Table up: -11 in (standard)/ -10.75 in (XL) Measurements are per table | - | - | - | - | - |

Additional options are available. Please contact us to ask about our full line of options.

WARRANTY Contact Winco or visit our website for warranty details.

 ${\tt COLORS} \ {\tt Contact} \ {\tt Winco} \ {\tt or} \ {\tt visit} \ {\tt our} \ {\tt website} \ {\tt for} \ {\tt available} \ {\tt color} \ {\tt selections}.$

 $\ensuremath{\text{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS

- 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing
- 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture
- 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture
- 4) PRC models and Heat and Massage, Heat Only Options: Meet electrical safety standards, UL 1647 and CAN/ CSA-C22.2 No.68-92.
- 5) All individual electrical components for Heat and Massage / Heat Only options and power recline certified to IEC 60601-1.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com





KEY FEATURES

- Sealed two-button power switch embedded on the side of the chair (dual switches and/or wired pendant options available)
- Easy to clean and service
- Durable construction thoroughly tested to withstand the demands of healthcare environments
- Power-return from Trendelenburg (Trendelenburg models only)
- 4-year limited warranty on the power recline control module and actuator motor

Switch to the new Verō PRC

The Verō Power Reclining Chair (PRC) is the newest addition to our popular line of infinitely configurable Verō recliners. Verō PRC is comfortable and convenient for the patient while offering exceptional benefits to the caregiver and added value for facility managers. Caregivers can now assist patients up to 500 lbs at the push of a button with no fear of strain. Trendelenburg models are thoughtfully designed with the capability to **return patients upright from the trendelenburg position**, minimizing potential for caregiver injury.

A sealed power switch is embeded on the patient right side of the recliner for easy access. Add an optional second switch, at patient left side and/or a wired hand pendant for additional patient and caregiver convenience. Verō PRC powers the entire line of Verō recliners offering unmatched configurations, durability, patient comfort and caregiver peace of mind.

Contact Winco today to arrange for a demonstration of the Verō PRC or to request a quote!



SPECIFICATIONS: VERŌ PRC

| FOOT OPTION | PEDESTAL FEET 3" DUAL CAS | | CASTERS | STERS 5" CASTERS | | |
|--|--|----------------------|----------------------|----------------------|----------------------|----------------------|
| RECLINER SIZE | STANDARD | X-LARGE | STANDARD | X-LARGE | STANDARD | X-LARGE |
| SEAT HEIGHT TO FLOOR | 20.25 in | (51.4 cm) | 20.75 in | (52.7 cm) | 23.75 in | (60.3 cm) |
| SEAT WIDTH | 22.5 in (57.2 cm) | 26.5 in (67.3 cm) | 22.5 in (57.2 cm) | 26.5 in (67.3 cm) | 22.5 in (57.2 cm) | 26.5 in (67.3 cm) |
| SEAT DEPTH | 23.5 in (59.7 cm) | | | | | |
| OVERALL HEIGHT | 44 in (111.8 cm) | | 44.5 in (113 cm) | | 47.5 in (120.7 cm) | |
| OVERALL WIDTH (FIXED ARMS / NO TABLES)* | 29.5 in (11.6 cm) | 34 in (13.4 cm) | 29.5 in (11.6 cm) | 34 in (13.4 cm) | 29.5 in (11.6 cm) | 34 in (13.4 cm) |
| SEAT BACK HEIGHT | | | 28.75 in | (73 cm) | | |
| OVERALLLENGTH | Upright: 41 in (104.1 cm) Reclined: 69.25 in (175.9 cm) | | | | | |
| ARM HEIGHT | 25.5 in (64.8 cm) | | 26 in (66 cm) | | 29 in (73.7 cm) | |
| WEIGHT (NO OPTIONS) | 140 lb (63.5 kg) | 158 lb (71.7 kg) | 140 lb (63.5 kg) | 158 lb (71.7 kg) | 140 lb (63.5 kg) | 158 lb (71.7 kg) |
| WEIGHT CAPACITY | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) | 350 lb (158.8 kg) | 500 lb (226.8 kg) |

OPTIONS: VERŌ PRC

- Wired Hand Pendant –
- Dual 180 Degree Swing Arms
- Trendelenburg Positioning
- Standard or XL Seat Widths
- 3" Dual Casters, 5" Casters or Pedestal Feet
- Heat Only or Heat and Massage
- Packages Sliding, Weight Bearing Footplate



- Side Tables and/or Pivot Table
- Battery Back-Up for Recline Functions
- IV Pole
- Push Handle
- Accessory Hook
- Custom Armrest and Headrest Covers
- Urethane Arm Caps
- + Many more clinically useful options and accessories Visit our website for more information

WARRANTY Contact Winco or visit our website for warranty details.

 ${\color{blue}\textbf{COLORS}}\,\textbf{Contact}\,\,\textbf{Winco}\,\,\textbf{or}\,\,\textbf{visit}\,\,\textbf{our}\,\,\textbf{website}\,\,\textbf{for}\,\,\textbf{available}\,\,\textbf{color}\,\,\textbf{selections}.$

 $\ensuremath{\mathsf{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS

- 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing
- 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture
- 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture
- 4) PRC models and Heat and Massage, Heat Only Options: Meet electrical safety standards, UL 1647 and CAN/ CSA-C22.2 No.68-92.
- 5) All individual electrical components for Heat and Massage / Heat Only options and power recline certified to IEC 60601-1.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

PREMIUM SERIES

24-HOUR TREATMENT RECLINER



The Inverness 24-Hour Treatment Recliner™ is superbly crafted with a suite of intuitive, practical and durable innovations to address patient and clinician comfort.

- Promotes patient independence with ultra-low effort, bilateral controls
- Supports clinician comfort with front-locking brake tabs and back-relieving side table heights
- Enhances facility efficiency with attractive, durable construction that is easy to clean

Thousands of documented hours of feedback and refinements create an ideal blend of daytime luxury with nocturnal comfort upon which patients truly can sleep through the night. The Inverness provides comfort, utility and flexibility for multiple treatment applications.

ENHANCING THE PATIENT AND CAREGIVER EXPERIENCE.



DESIGNED WITH PATIENTS

Patient independence, with no need to rely on staff for assistance. We listened to patients and included:

- An infinitely adjustable backrest that locks in the chosen position
- An innovative design requiring 50% less pull force for one-handed positioning
- Patient comfort in every position; full upright to laying flat
- Wide padded seats, naturally curved armrests, accessible controls, and strategically located lumbar support

During development, many patients noted that they would choose clinics with this chair over those with another recliner model

"I REALLY LOVED THE CHAIR AND WAS ABLE TO RELAX AND GET TREATMENT IN COMFORT." - William Patient



DESIGNED WITH THE FACILITY

The Inverness 24-Hour Treatment Recliner's form and function make it a practical and valuable tool, easily expanding nocturnal capacity to existing clinics.

- Both arms swing out 180 degrees for barrier free patient transfer
- Innovative safety shields direct errant fluids and make cleaning a snap.
- Generous seat width and 500 pound weight capacity eliminate the need for multiple models.
- Swing arm design allows deployment of Trendelenburg function even when fully open.

We also took into account the unique requirements of older retrofit clinics. With the arms fully open, the Inverness will easily roll through a 34.5" opening!

"STAYS LOCKED SECURELY AND EASILY. CURVED ARM RESTS MORE COMFORTABLE FOR PATIENTS. LOOKS LESS CLINICAL. EASY TO USE AND MOVE. LESS PATIENT COMPLAINTS. PATIENTS ARE ABLE TO EASILY ADJUST BACK DURING TREATMENT." - Bridgette D., Clinic Manager



DESIGNED WITH CLINICANS

We also listened to the clinician and designed:

- Higher patient positioning with side tables at an ideal level to reduce potential for back strain.
- Bilateral controls that are easily accessed from either side.
- Foot operated swing-arm latch releases, unique foot plate lock and Trendelenburg controls to reduce bending, stooping and straining.
- Gas cylinder and spring supported mechanism to significantly ease any required effort to help patient recline or sit upright.

We've strived to address everything, including never hidden, always accessible, front caster locks.

"GREAT CHAIR, EASY ON TECH'S BACK. BETTER OVERALL FOR THE PATIENT. EASY TO CLEAN AND MOVE. NICE JOB, GUYS AT WINCO! THANK YOU FOR THINKING OF THE WORKERS ALSO!" - Christopher E., Technician





ANATOMY OF THE INVERNESS 24-HOUR TREATMENT RECLINER



SPECIFICATIONS

| Arm Style | Dual 180° Swing Arms |
|---------------------------|---|
| Casters | Front: 5" fixed, locking Rear: 5" Swivel locking |
| Weight Capacity | 500 lbs (226.80 kg) |
| Overall Height | 51.75" (131.45 cm) |
| Overall Width* | 34.5" (87.63 cm) |
| Seat Height (from Floor) | 25.5 (64.77 cm) |
| Seat Width (Between Arms) | 26" (66.04 cm) |
| Seat Depth | 20.75" (52.71 cm) |
| Seat Back Height | 28.5" (72.39 cm) |
| Armrest Height | 32.5" (82.55 cm) |
| Upright Length | 41.5" (105.41 cm) |
| Recline Length | 75.5" (191.77 cm) |
| Arm-Span (Swing Arms) | 105.75" (268.61 cm) |
| Weight | 199 lbs (90.26 kg) |



All specifications subject to change without notice, please contact our customer care team to verify any critical dimensions prior to ordering.

SUGGESTED OPTIONS & ACCESSORIES



IV Pole (IV) Left, Right or Both Sides



Accessory Hook (AH) Left, Right or Both Sides



Heat Only (HT)



Heat & Massage (HM)



Premium Side Table (PT)
Left, Right
or Both Sides



Pivot Table (PV) Left, Right or Both Sides

WARRANTY Contact Winco or visit our website for warranty details. COLORS Contact Winco or visit our website for all available color selections. NOTE Winco reserves the right to change specifications without notice. CERTIFICATIONS 1) The Inverness 24-Hour Treatment Recliner™ meets ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for upholstered furniture. 4) Heat and Massage, Heat Only Options: Meets electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

^{*} Add 2" to overall width for each table in the down position.

^{*} Add 11" to overall width for each raised side table.

6530 (STANDARD, NYLON CASTERS) / 6531 (STANDARD, STEEL CASTERS) 6540 (XL, NYLON CASTERS) / 6541 (XL, STEEL CASTERS)



OUTSTANDING VALUE AND QUALITY

Lower price does not mean lower quality when you purchase a Winco Care Cliner.

Our Care Cliner comes with all the superior features you might find on higher-priced clinical chairs



ANATOMY OF A CARE CLINER



SPECIFICATIONS

| MODELS | 6530 / 6531 | 6540 / 6541 | | | | | |
|------------------------------|--|-------------------|--|--|--|--|--|
| DESCRIPTIONS | STANDARD SIZE | XL SIZE | | | | | |
| Seat Height | 21" (53.3 cm) | 21" (53.3 cm) | | | | | |
| Seat Width | 21" (53.3 cm) | 25" (63.5 cm) | | | | | |
| Seat Depth | 20" (51 cm) | 20" (51 cm) | | | | | |
| Overall Height | 49" (124.5 cm) | 49" (124.5 cm) | | | | | |
| Overall Width* | 32.25" (81.9 cm) | 36.25" (90.1 cm) | | | | | |
| Back Height above Seat | 31.5" (80 cm) | 31.5" (80 cm) | | | | | |
| Overall Length (Upright) | 39" (99 cm) | 44" (111.8 cm) | | | | | |
| Overall Length (Reclined) | 76.5" (194.3 cm) | 76.5" (194.3 cm) | | | | | |
| Armrest Height | 27" (68.6 cm) | 27" (68.6 cm) | | | | | |
| Weight | 94 lbs (42.6 kg) | 111 lbs (50.4 kg) | | | | | |
| Weight Capacity | 275 lbs (124.7 kg) | 450 lbs (204 kg) | | | | | |
| * Add 9.25" to | * Add 9.25" to Overall Chair Width for each raised side table. | | | | | | |

OPTIONS



Leg Extensions (RE)



Side Cushions (SC)



IV Pole (IV)



Heat Only (H)



Heat and Massage (HM)

WARRANTY Contact Winco or visit our website for warranty details.

COLORS Vsit our website or contact Winco for available color selections and/or swatches

NOTE Winco reserves the right to change specifications without notice.

CERTIFICATIONS 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture 4) Heat and Massage, Heat Only Options: Meets electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at:

DROP-ARM CARE CLINER

6550 (STANDARD, NYLON CASTERS) / 6551 (STANDARD, STEEL CASTERS) 6570 (XL, NYLON CASTERS) / 6571 (XL, STEEL CASTERS)



VERSATILITY, VALUE AND QUALITY

Our Drop-Arm Care Cliner comes with all the superior features you might find on higher-priced clinical chairs and make it easier for caregivers to assist their patients!



ANATOMY OF A DROP-ARM CARE CLINER

Trendelenberg release on back with easy-access handle .

Non-porous, fold-down side tray contains small spills. Standard on right and left side.

One-touch release drop-arms

Total-lock and directional-lock casters provide ease of maneuverability. *Available in nylon or steel.



SPECIFICATIONS

| MODELS | 6550 / 6551 | 6570 / 6571 |
|------------------------------|--------------------|-------------------|
| DESCRIPTIONS | STANDARD SIZE | XL SIZE |
| Seat Height | 21" (53.3 cm) | 21" (53.3 cm) |
| Seat Width | 21" (53.3 cm) | 25" (63.5 cm) |
| Seat Depth | 20" (51 cm) | 20" (51 cm) |
| Overall Height | 49" (124.5 cm) | 49" (124.5 cm) |
| Overall Width* | 33.75" (85.73 cm) | 37.75" (95.9 cm) |
| Back Height above Seat | 31.5" (80 cm) | 31.5" (80 cm) |
| Overall Length (Upright) | 40" (101.6 cm) | 43" (109.2 cm) |
| Overall Length (Reclined) | 76.5" (194.3 cm) | 76.5" (194.3 cm) |
| Armrest Height | 27" (68.6 cm) | 27" (68.6 cm) |
| Weight | 105 lbs (47 kg) | 111 lbs (50.4 kg) |
| Weight Capacity | 275 lbs (124.7 kg) | 450 lbs (204 kg) |

OPTIONS



Leg Extensions (SE)



Side Cushions (SC)



IV Pole (IV)



Heat Only (H)



Heat and Massage (HM)

WARRANTY Contact Winco or visit our website for warranty details.

COLORS Vsit our website or contact Winco for available color selections and/or swatches

* Add 9.25" to Overall Chair Width for each raised side table.

NOTE Winco reserves the right to change specifications without notice.

CERTIFICATIONS 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture 4) Heat and Massage, Heat Only Options: Meets electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92



CONTACT US

 $To \ arrange \ a \ demonstration \ or \ to \ speak \ with \ one \ of \ our \ associates, \ please \ feel \ free \ to \ contact \ us \ at:$

800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

6900 (STANDARD) / 6910 (X-LARGE)



Comfort, Durability and Value...


- Dual fold-down side tables
- Built-in headrest with cover
- Trendelenburg positioning
- 5" Total-lock and directional-lock casters



SPECIFICATIONS

| ELITE CARE CLINER | 6900 | 6910 | | |
|--------------------------------|--------------------|-------------------|--|--|
| DESCRIPTIONS | STANDARD | X-LARGE | | |
| Seat Height | 21" (8 | 53.3 cm) | | |
| Seat Width | 21" (53.3 cm) | 25" (63.5 cm) | | |
| Seat Depth | 20" | (51 cm) | | |
| Overall Height | 48.5" (| 123.2 cm) | | |
| Overall Width* | 33.5" (85.1 cm) | 37.5" (95.3 cm) | | |
| Range of Seat Angle | 8° - 32° | | | |
| Range of Back Angle | 62° | ° - 38° | | |
| Back Height above Seat | 32.5" (| (82.6 cm) | | |
| Overall Length (Back Upright) | 41" (1 | 11.8 cm) | | |
| Overall Length (Back Reclined) | 76.5" (| 194.3 cm) | | |
| Weight | 100 lbs (45.4 kg) | 123 lbs (55.8 kg) | | |
| Weight Capacity | 350 lbs (158.7 kg) | 450 lbs (204 kg) | | |

SUGGESTED OPTIONS & ACCESSORIES



OVER 50 DESIGNER COLORS AVAILABLE

Additional options and accessories available.

Please visit our website to view a full selection of options or contact your local representative.

WARRANTY Contact Winco or visit our website for warranty details.

COLORS Vsit our website or contact Winco for available color selections and/or swatches

 $\ensuremath{\textbf{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture 4) Heat and Massage, Heat Only Options: Meets electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

6940 (STANDARD) / 6950 (X-LARGE)



Ease Patient Transfers Without Sacraficing Patient Comfort...


- Dual swing-arms with foot-activated release levers
- Dual side-tables
- Built-in headrest with cover
- Trendelenburg positioning
- 5" Total-lock and directional-lock casters



SPECIFICATIONS

| SWING-ARM ELITE CARE CLINER | 6940 | 6950 | | |
|--------------------------------|-------------------------------------|-----------------|--|--|
| DESCRIPTIONS | STANDARD | X-LARGE | | |
| Seat Height | 21" (5 | 3.3 cm) | | |
| Seat Width | 21" (53.3 cm) | 25" (63.5 cm) | | |
| Seat Depth | 20" (| 51 cm) | | |
| Overall Height | 48.5" (1 | 123.2 cm) | | |
| Overall Width* | 33.5" (85.1 cm) | 37.5" (95.3 cm) | | |
| Range of Seat Angle | 8° - 32° | | | |
| Range of Back Angle | 62° | - 38° | | |
| Back Height above Seat | 32.5" (| 82.6 cm) | | |
| Overall Length (Back Upright) | 41" (11 | 11.8 cm) | | |
| Overall Length (Back Reclined) | 76.5" (1 | 94.3 cm) | | |
| Weight | 104 lbs (47.2 kg) 127 lbs (57.6 | | | |
| Weight Capacity | 350 lbs (158.7 kg) 450 lbs (204 kg) | | | |

SUGGESTED OPTIONS & ACCESSORIES



OVER 50 DESIGNER COLORS AVAILABLE

Additional options and accessories available.

Please visit our website to view a full selection of options or contact your local representative.

WARRANTY Contact Winco or visit our website for warranty details.

COLORS Vsit our website or contact Winco for available color selections and/or swatches

 $\ensuremath{\textbf{NOTE}}$ Winco reserves the right to change specifications without notice.

CERTIFICATIONS 1) Winco recliners meet ANSI/BIFMA X5.4 for reliability testing 2) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for Upholstered Furniture 4) Heat and Massage, Heat Only Options: Meets electrical safety standards, UL 1647 and CAN/CSA-C22.2 No.68-92




CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com







BDC COLLECTION





FUNCTIONALITY, COMFORT & CONVENIENCE FOR PATIENTS AND STAFF



Shown: Solace BDC Model 2573-17





SPIRIT BDC

2570 / 2571

This basic model features two infinitely adjustable armrests, durable plastic resin seat and non-marring leveling feet. A clean and simple design that stands up to years of use.



SOLACE BDC

2572 / 2573

Winco's Solace BDC features two infinitely adjustable armrests, an upholstered seat and back and non-marring leveling feet. The flip-up contoured urethane armrest provides comfort, easy access, and added security.



UNITY BDC

2574 / 2575

This XL Phlebotomy chair features two infinitely adjustable armrests, an upholstered 24" seat and back and a 450lb. weight capacity.



HARMONY BDC

2580

Featuring a 36.75" seat, an 800lb weight capacity and an array of options, the Harmony BDC can accommodate nearly any medical setting. Perfect for bariatric applications and pediatric facilities. Shown with dual flip arms. Additional literature available - visit our website for more details.

AT-A-GLANCE MODEL GUIDE

| MODEL | | CEAT 0 DAOV | | | ARMS | | | WILLOUT OADAOITY | FOOTDECT |
|-------------|------|-------------|--------------------------------------|-----|----------------|-----|------------------|------------------|----------|
| MODEL | | SEAT & BACK | FLIP-UP ARMREST PIVOT ARM SHORT ARMS | | L-ARMS CABINET | | WIEIGHT CAPACITY | FOOTREST | |
| CDIDIT DDO | 2570 | Resin | ✓ | • | N/A | N/A | ~ | 300 lbs. | N/A |
| SPIRIT BDC | 2571 | Resin | V | • | N/A | N/A | N/A | 300 lbs. | N/A |
| 001405000 | 2572 | Padded | ✓ | • | N/A | N/A | ~ | 300 lbs. | N/A |
| SOLACEBDC | 2573 | Padded | ✓ | • | N/A | N/A | N/A | 300 lbs. | N/A |
| LIMITY DDO | 2574 | Padded | ✓ | • | N/A | N/A | ~ | 450 lbs. | N/A |
| UNITY BDC | 2575 | Padded | V | • | N/A | N/A | N/A | 450 lbs. | N/A |
| HARMONY BDC | 2580 | Padded | N/A | N/A | V | • | • | 800 lbs | • |

SUGGESTED FURNISHINGS TO COMPLETE YOUR EXAM ROOM



Caregiver Task Seating
Deluxe Gas-Lift Task Stool
Shown: Model 4400-17



Privess™ Privacy Screens
Privess™ Elite Privacy Screen
Shown: Model 3170-81



Treatment TablesFlat Top Treatment Table
Shown: Model 8500-08

 $\label{lem:warranty} \textbf{WARRANTY} \ \textbf{Contact} \ \textbf{Winco} \ \textbf{or} \ \textbf{visit} \ \textbf{our} \ \textbf{website} \ \textbf{for} \ \textbf{complete} \ \textbf{warranty} \ \textbf{details}.$

VINYL COLORS Contact Winco or visit our website for available color options.

CERTIFICATIONS 1) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for upholstered furniture.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

HARMONY BDC

EXTRA WIDE BLOOD-DRAWING CHAIR



Dual L-Arm Option Shown

Winco's Extra Wide Blood Drawing Chair combines functional design with quality and unmatched durability. The new Harmony BDC offers comfort and convenience with a variety of accessories to accommodate any medical setting where samples are drawn.

- Harmony BDC offered with multiple options to meet every clinic need.
- Model features include an adjustable-height, padded L-arm option for easy access and exceptional patient and clinician comfort.
- Industry leading 800 lb. capacity suitable for most patients or parent/child combinations.
- Six (6) high-impact, adjustable leveling feet provide stable seating on practically any surface.
- Manufactured with a sturdy, powder-coated steel frame for maximum strength and years of trouble-free service backed with a lifetime frame warranty.



Designed for bariatric applications, yet perfect for pediatric settings.

In Family Practice or Pediatric Care, the Harmony BDC doubles as a one-size-fits-all patients chair or to safely and comfortably seat both parent and child, helping to soothe patient anxiety. The Harmony BDC represents one of the widest and highest weight capacity blood-draw chairs in the industry, tested and verified to BIFMA* standards.



Dual L-Arm and Footrest Options Shown

WINCO HAS A HISTORY OF DESIGNING AND MANUFACTURING ROBUST, THOUGHTFUL PHLEBOTOMY SEATING SOLUTIONS. HARMONY BDC FEATURES INCLUDE:

- Wide, full-access seat (36.75" / 93.4 cm)
- Pinch resistant flip-up L-Arms provides a safer experience for patients and caregivers.
- Universal arm design enables easy switchover to left or right-side use as your space dictates.
 Conversion tools included.
- Rigidly tested to an 800 lb, total load capacity in any combination of occupants – Individual, parent/child, or patient/caregiver – under normal use.
- Designed and tested to BIFMA* standards.



Pinch Resistant Flip-Up L-Arms



HARMONY BDC

ANATOMY OF THE HARMONY BDC EXTRA WIDE BLOOD-DRAW CHAIR

Adjustable arm extension 17"-21" (43.1cm - 53.3cm) allows for extension Comfortable 2.5" (6.4 cm) of arm rest for caregiver access

seat & back rest

Padded L-Arms flip out of the way for easy patient access (optional)

Pinch resistant safety cover



Quick release handle adjusts arm rest height range from 4.8"-12.3" for patient and caregiver comfort

Weight distributing dual-reinforced steel center support Footrest (optional) Durable, powdercoated, welded tubular steel frame

6 high-impact adjustable leveling feet: stable on practically any surface



Standard Short Arm



Optional universal cabinet with table top. 6.25" x 10" deep cabinet features high impact storage drawer with spill-resistant top and rugged aluminum sides for lasting durability. Cabinet is convertible to left or right-side use as space dictates.

SPECIFICATIONS

| HARMONY BDC MODELS | 2580 | 2580-CL | 2580-CS | 2580-DL | 2580-SL |
|------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| DESCRIPTIONS | DUAL SHORT ARMS | L-ARM + CABINET | SHORT ARM + CABINET | DUAL L-ARMS | SHORT ARM + L-ARM |
| Seat Height | 20" (50.8 cm) |
| Seat Width | 36.75" (93.4 cm) |
| Seat Depth | 18.5" (47 cm) |
| Overall Height | 35.75" (90.81 cm) |
| Overall Width | 44" (111.8 cm) | 51" (129.5 cm) | 50.5" (128.3 cm) | 46" (116.8 cm) | 45" (114.3 cm) |
| Back Height above Seat | 15.75" (38.1 cm) |
| Overall Length | 24" (61 cm) | 29" (73.7 cm) | 24" (61 cm) | 29" (73.7 cm) | 29" (73.7 cm) |
| Adjusted Arm Range | 24.5" - 32.25" (62.2 cm - 81.9 cm) |
| Weight | 77 lbs (34.9 kg) | 97 lbs (44 kg) | 87 lbs (39.5 kg) | 97 lbs (44 kg) | 87 lbs (39.5 kg) |
| Weight Capacity | 800 lbs (362.9 kg) |

OPTIONAL FOOTREST (FR): 4.375" (11.11 cm) high x 31" (78.74 cm) wide; Adds 3.5" (8.89 cm) to overall depth and 6 lbs (2.72 kg) to overall weight Weight shown above is the overall weight of the chair and excludes packaging.

ADDITIONAL CHAIRS IN THE PHLEBOTOMY COLLECTION







Additional options available

| Spirit BDC | Solace BDC | Unity BDC |
|--------------------|-------------------|--------------------|
| SHOWN: MODEL #2570 | SHOWN: MODEL#2573 | SHOWN: MODEL #2575 |

WARRANTY Contact Winco or visit our website for warranty details. VINYL Padded models available in over 50 vinyl colors and with TB133 Flammability option, visit our website or contact us for swatches. NOTE Winco reserves the right to change specifications without notice.






^{*} BIFMA develops, maintains, and publishes safety and performance standards for furniture products. Harmony BDC designed and tested to BIFMA X5.4-2012.



HEALTHCARE ESSENTIALS

Task Seating, Treatment Tables & Privacy Screens





ESSENTIALS COLLECTION





PRACTICAL SOLUTIONS FOR HEALTHCARE SPACES

The Essentials Collection includes caregiver seating, patient privacy, and treatment surface solutions that provide value, durability and comfort.



You depend on your medical furnishings to enable you to provide quality care within an environment that promotes the best overall patient experience. That's why Winco manufactures an array of healthcare furnishing options that can be customized to fit your practice's unique style.

Winco is a proud ISO 13485:2016 certified manufacturer. Additionally, the vast majority of our products are built in the U.S.A. and designed to enhance the patient and caregiver experience!



TASK SEATING SOLUTIONS TO MATCH YOUR NEEDS

KEY FEATURES

- WEIGHT CAPACITY: 250 lbs (113 kg)
- SEAT DIAMETER: 16.5" (41.9 cm)
- ADJUSTABLE SEAT-HEIGHT: 17" 22.25" (Standard & Deluxe models) 23.5" 33.75" (Tall Models)
- PADDED UPHOLSTERY: Available in your choice of 50+ vinyl colors
- 2" TWIN WHEEL CASTERS or HIGH RESISTANCE (HR) Casters



TASK STOOLS

STANDARD: 4300 / 4308 | DELUXE: 4400/4408

Multi-purpose gas-lift task stools. Standard models feature a high-density plastic base. Deluxe models feature a polished aluminum base. Upgrade any of the above models with an optional foot ring (FR).



TASK CHAIRS

STANDARD: 4350 / 4358 | DELUXE: 4450 / 4458 | TALL: 4380 / 4388

Versatile caregiver seating featuring "one-touch" seat height adjustment and height-adjustable seat backs. The Standard and Tall models each include a high-density plastic base. The Deluxe models include a polished aluminum base. Our Tall model includes provides an additional 11.5" in seat height and includes a foot ring. A foot ring (FR) can also be added to any of the standard or deluxe models.



HIGH RESISTANCE CASTERS

HR Casters allow free chair movement when weighted or occupied, but resist unnecessary chair movement when unweighted or when exiting the chair. *HR Casters may not release and roll freely if occupant weighs less than 80lbs.



SURFACE SOLUTIONS THAT FIT YOUR PRACTICE

KEY FEATURES

- WEIGHT CAPACITY: 400 lbs (181.4 kg)
- PATIENT SURFACE (LxW): 72" (183 cm) X 28" (71 cm)
- DURABILITY: Powder-coated, steel frames
- STABILITY: Adjustable leveling feet
- FUNCTIONALITY: All models include a paper holder and are available with or without a shelf (SH)



FLAT TOP

8500

Our most popular model provides versatility and strength. Standard table height is 30". Specialty heights (19", 25" or 36") can also be specified.



RECOVERY COUCH

8550

Perfect for pediatric or geriatric settings. This models contoured headrest and 2.5" medium density foam provide exceptional patient comfort.

Standard table height is 19", which meets ADA (Americans with Disabilities Act) maximum height guidelines.



ADJUSTABLE BACK

8570

Features every practice needs! The gas-spring operated back features an adjustment range of 6° - 57° via a one-touch control. Standard table height is 30". Specialty heights (25" or 36") may also be specified.



PRIVESS® PRIVACY SCREENS

PRIVACY SOLUTIONS FOR A RANGE OF SPACIAL AND SITUATIONAL REQUIREMENTS



PRIVESS™ BASIC

3130 / 3139

Portable privacy at a cost-effective price point! Basic models come with casters for mobility and crutch tips for stationary use.

Model 3130: White vinyl

Model 3139: Your choice of 5 Sure-Chek® colors.



PRIVESS™ ELITE

3170

Style, size, and stability suitable for multiple settings!

Welded heavy-duty steel frame base with dual stability bars.

Magnetic closure for safe and easy storage.

Spring loaded removable panels.

Includes 2" twin wheel casters or crutch tips

Panels available in 50+ health grade vinyl color options.



PRIVESS™ MODULAR

3730 / 3739 / 3740 / 3749

Unique snap together framework that provides 360° swivel and infinite connectivity. Multiple modular units are easily connected and can be maneuvered into different shapes to meet your needs.

Select 3 panel (373) or 4 panel (374) options

Available in White vinyl (3730 or 3740), Clear-Vue (3739-9K or 3749-9K), or your choice of 5 Sure-Chek® colors (3739-** or 3749-**).

^{**} represents color number (see website for color options)

SUGGESTED FURNISHINGS TO COMPLETE YOUR TREATMENT SPACE



Solace BDC w/ Drawer 2572



Verō Treatment Recliner Configurable (5Y04 Shown)



Harmony BDC w/ Dual L-Arms 2580-DL

 $\label{lem:warranty} \textbf{WARRANTY} \ \textbf{Contact} \ \textbf{Winco} \ \textbf{or} \ \textbf{visit} \ \textbf{our} \ \textbf{website} \ \textbf{for} \ \textbf{complete} \ \textbf{warranty} \ \textbf{details}.$

VINYL COLORS Visit our website to view available vinyl colors or contact our Customer Care team to review color options and request swatches.

CERTIFICATIONS 1) Winco foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture
2) NR or TB options are available for upholstered items. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for upholstered furniture.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at: 800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com

PRIVESS™ CLEAR-VUE

MODULAR SCREENS







KEY FEATURES

Privess™ Clear-Vue screens provide a see-through protective barrier solution with flexible applications.

- Cost-effective
- Lightweight, portable and configurable
- Easily cleaned and disinfected
- Compact storage requirements

Privess™ Clear-Vue provides an additional layer of protection from airborne contaminants. The Clear-Vue feature is available as an option for 3 or 4 panel Privess™ Modular Screens.

The extreme flexibility makes Privess™ Clear-Vue a perfect solution for podiums and lecterns, workstations, student desks or for queuing situations where individuals may not be able to be adequately distanced and security concerns demand visibility.

Privess™ Modular Screens feature innovative clips that allow multiple screens to easily connect to one another to create unique shape and size solutions to fit any space or need.



SPECIFICATIONS: PRIVESS™ MODULAR SCREENS





| PRIVESS™ MODULAR | 3 PANEL | 4 PANEL | | |
|---------------------|---------------------------------------|---------------------------------------|--|--|
| BASE SIZE | 15 in. x 40 in. (5.9 cm x 15.7 cm) | 15 in. x 70 in. (5.9 cm x 27.6 cm) | | |
| OVERALL HEIGHT | 69 in. (175.3 cm) | | | |
| OVERALLWIDTH | 60 in. (152.4 cm) | 80 in. (203.2 cm) | | |
| SINGLE PANEL LENGTH | 46 in. (116.8 cm) | | | |
| SINGLE PANEL WIDTH | 20 in. (50.8 cm) | | | |
| WEIGHT | 9 lb. (4.1 kg) | 12 lb. (5.4 kg) | | |
| FRAME | Aluminum | | | |
| ORIGIN | Made in USA | | | |

CONNECTIVITY

Easily connect screens to build larger screens in varying shapes and sizes.



Shown using colored screens to better illustrate connectivity options.

WARRANTY Contact a Winco representative or visit WincoMfg.com for warranty details.

NOTE Privess^M Clear-Vue Screens are not intended for wet environments and should never be used as shower curtains. Privess^M Clear-Vue Screens are not recommended for outdoor use.



CONTACT WINCO

To learn more about the Privess $^{\scriptscriptstyle{\text{TM}}}$ Clear-Vue option:

800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com