

STRETCHAIR®

S550 / MC675CL / S750 / S999

BARIATRIC SERIES



Minimize Transfers, Maximize Safety

Stretchair® Bariatric Stretcher-Chairs feature powered patient positioning, adjustable heights and maneuverability. With the Stretchair® Bariatric Series, patient admission, transport, recovery and discharge activities all take place on the same surface; reducing patient transfers, increasing throughput and limiting the potential for staff and patient injuries!

ONE PATIENT, ONE SURFACE®

 **TransMotion**
by Winco

ANATOMY OF A STRETCHAIR®



EASILY CONVERTS FROM CHAIR TO STRETCHER



In the lay-flat stretcher position, the Stretchair® adjusts from 30" (76.2 cm) to 38" (96.5 cm). The adjustable padded armrests can be raised to act as a side-guard for enhanced patient safety, positioned to lay flush with the patient surface or removed entirely to enable patient transfers.



STRETCHAIR®

BARIATRIC SERIES



HANDHELD FOUR-BUTTON PENDANT



Adjust height and backrest position with the push of a button.

- Lay-flat stretcher position adjusts from 30"– 38" (76.2 – 96.5 cm).
- Powered vertical lift adjustments: Seat height ranges from 22"– 30" (55.8 – 76.2 cm).

STRETCHAIR® SPECIFICATIONS

SPECIFICATION DESCRIPTION	MODEL			
	S550	MC675CL*	S750	S999
Seat Height	22 in. (55.8 cm.)			
Seat Width	25 in. (63.5 cm.)	28 in. (71.1 cm.)	31 in. (78.7 cm.)	
Seat Depth	20 in. (50.80 cm.)			
Overall Height	53.5 in. (135.9 cm.)			
Overall Width	34 in. (86.3 cm.)	37 in. (93.9 cm.)	40 in. (101.6 cm.)	
Seat Back Height	31.5 in. (80 cm.)			
Overall Length, Upright	45 in. (114.3 cm.)			
Overall Length, Lay-Flat	72 in. - 76 in. (182.8 cm. - 193 cm)			
Vertical Lift, Lay-Flat	30 in. - 38 in. (76.2 cm. - 96.5 cm.)			
Adjustable Arm Range	30 in. - 40 in. (76.2 cm. - 101.6 cm.)			
Seat Angle Range	Remains parallel with the floor			
Back Angle Range, Powered	80 ° to 0 ° (flat)			
Weight	290 lbs. (131.5 kg.)	303 lbs. (137.4 kg.)	312 lbs. (141.5 kg.)	
Weight Capacity	550 lbs. (248 kg.)	675 lbs. (306 kg.)	750 lbs. (340 kg.)	1,000 lbs. (453 kg.)

NOTE: Winco Mfg., LLC reserves the right to revise specifications without notice.

TRANSMOTION BY WINCO LIMITED WARRANTY



Optional Extended Limited Warranty also available.

WARRANTY: Contact Winco Mfg., LLC or visit our WincoMfg.com for complete warranty details.

COLORS: Contact your representative or visit our website for all available color selections.

CERTIFICATIONS:

- 1) The Stretchair® Bariatric Series meets ANSI/BIFMA X5.4 for reliability testing.
- 2) Foam meets California Technical Bulletin 117, Flammability Test Procedure for Resilient Filling Materials used in Upholstered Furniture.
- 3) NR or TB options are available. NR meets AB2998 regulations and TB meets NFPA 101 and ASTM E1537-16 Standards for upholstered furniture.
- 4) * Model MC675CL (ONLY) TUV Certified to IEC 60601-1

Visit WincoMfg.com for additional information.

Available in 25+ healthcare grade vinyl options, visit our website or contact a representative to request a swatchcard.



CONTACT US

To arrange a demonstration or to speak with one of our associates, please feel free to contact us at:
800-237-3377 | WincoMfg.com | 5516 SW 1st Lane, Ocala, FL 34474 | Info@WincoMfg.com